

PEANUT

Tifton, Georgia: Yield and Grade Performance Peanut Variety Trial, 2016, Irrigated

Variety	Digging Date	Yield lb/A	TSMK %	OK %	DK %	ELK %	Seed no./lb
<u>Spanish Types</u>							
GA 082549 ¹	10/01	4330	74.5	3.0	0.0	.	954
GA 122707 ¹	10/01	4257	74.0	3.0	0.0	.	919
Georgia Browne	09/24	4045	70.0	5.0	0.0	.	1231
Georgia-04S	09/24	3822	71.5	4.0	0.0	.	1284
Tamnut OL06	08/23	2424	56.5	6.5	0.5	.	1118
Tamspan 90	08/23	2231	62.0	5.5	0.0	.	1229
Ole'	08/23	2101	58.0	6.5	0.5	.	1146
Shubert	08/23	1962	58.5	7.0	0.5	.	1287
OLin	08/23	1823	60.0	6.5	0.0	.	1406
Pronto	08/23	1640	60.5	10.5	0.0	.	1302
Spanco	08/23	1529	61.0	9.0	0.5	.	1297
Average	09/05	2742	64.2	6.0	0.2	.	1197
LSD at 10% Level		319	3.8	2.9	-	.	78
CV %		13.5	3.5	25.4	-	.	3.9
<u>Valencia Types</u>							
Georgia Valencia	08/23	3011	57.0	4.5	0.5	.	828
GA 142537 ¹	08/23	2891	61.5	5.0	0.5	.	891
NuMex-01	08/23	2244	56.5	9.5	1.0	.	1180
Georgia Red	08/23	1956	60.5	7.5	0.5	.	1123
N.M. Valencia A	08/23	1779	54.0	9.5	0.5	.	1309
Valencia McRan	08/23	1687	55.0	8.0	0.5	.	1165
H & W Valencia 136	08/23	1599	56.0	7.5	0.5	.	1150
N.M. Valencia C	08/23	1593	56.0	8.0	0.5	.	1179
Average	08/23	2095	57.1	7.4	0.6	.	1103
LSD at 10% Level		319	3.8	2.9	-	.	78
CV %		13.5	3.5	25.4	-	.	3.9

**Tifton, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Irrigated
(Continued)**

1. Advanced Georgia breeding line.

Bolding indicates entries not significantly different from highest yielding entry based on Fisher's protected LSD (P = 0.10).

Planted: May 13, 2016.

Seeding Rate: 6 seed/row foot in 36" rows.

Fertilization: 0 lb N, 0 lb P₂O₅, and 0 lb/a K₂O.

Soil Test: P = Very High, K = High, and pH = 6.7.

Soil Type: Tifton sandy loam.

Previous Crop: Corn.

Management: Disked, moldboard plowed, and rototilled; Sonalan (incorporated), Select Max, and Cobra used for weed control; Orthene used for insect control; Chlorothanil, Bravo, Fontelis, and Folicur used for disease control.

	May	June	July	Aug.	Sept.
Irrigation (in):	0.50	1.00	3.00	1.50	0
Rainfall (in):	1.11	3.94	3.38	6.31	6.17

Test conducted by R. Brooke, D. Dunn, and G. South.

**Tifton, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Irrigated**

Variety	Digging	Yield	TSMK	OK	DK	ELK	Seed
	Date						
Runner Types							
GA 122540 ¹	10/01	5400	75.5	2.5	0.0	.	776
TUFRunner™ '511'	10/01	5351	71.0	3.0	0.0	.	721
GA 132713 ¹	09/24	5244	70.5	5.5	0.0	.	881
GA 112557 ¹	10/01	5204	74.0	3.0	0.0	.	760
Georgia-16HO	10/01	5167	72.5	2.5	0.0	.	672
TUFRunner™ '297'	09/24	5108	72.0	3.5	0.0	.	648
Florida-07	10/01	5068	69.0	4.0	0.0	.	695
Georgia-07W	10/01	4994	74.0	2.5	0.0	.	722
TUFRunner™ '727'	10/01	4958	71.0	3.5	0.0	.	750
Tifguard	09/24	4898	72.0	3.5	0.0	.	694
Georgia-12Y	10/11	4799	70.5	2.5	0.0	.	762
Georgia-13M	10/01	4755	71.0	5.0	0.0	.	931
FloRun™ '107'	09/24	4689	68.5	4.5	0.0	.	798
Georgia-06G	09/24	4651	72.5	2.5	0.0	.	714
GA 122706 ¹	10/01	4562	73.0	3.0	0.0	.	787
GA 133106 ¹	10/11	4416	70.5	7.0	0.0	.	716
Georgia-14N	10/01	4343	72.0	3.0	0.0	.	852
Georgia-09B	09/24	4200	73.5	2.5	0.0	.	836
TifNV-HighO/L	09/24	4045	71.0	3.5	0.0	.	707
Georgia Greener	09/24	3995	73.5	3.5	0.0	.	808
GA 122544 ¹	10/01	3942	73.0	3.5	0.0	.	738
GA 133108 ¹	09/24	3810	69.5	4.5	0.0	.	860
FLoRun™ '157'	09/24	3751	70.5	5.0	0.0	.	877
Average	09/29	4667	71.8	3.6	0.0	.	770
LSD at 10% Level		367	2.2	1.1	-	.	68
CV %		8.5	1.8	20.0	-	.	5.4
Virginia Types							
Georgia-11J	10/11	5244	70.0	2.0	0.5	56.5	476
GA 132724 ¹	09/24	4230	73.5	2.5	0.0	.	624
Wynne	09/13	3969	70.5	1.5	0.5	51.0	505
Sugg	09/13	3918	72.0	2.5	0.0	52.0	529
Bailey	09/13	3621	70.0	2.5	0.0	41.5	557
CHAMPS	09/13	3207	69.0	3.0	0.0	54.5	549
Sullivan	09/13	3070	70.0	2.5	0.0	45.5	571
Average	09/19	3894	70.7	2.4	0.1	43.0	544
LSD at 10% Level		367	2.2	1.1	-	6.1	68
CV %		8.5	1.8	20.0	-	35.8	5.4

**Tifton, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Irrigated
(Continued)**

1. Advanced Georgia breeding line.

Bolding indicates entries not significantly different from highest yielding entry based on Fisher's protected LSD ($P = 0.10$).

Planted: May 13, 2016.

Seeding Rate: 6 seed/row foot in 36" rows.

Fertilization: 0 lb N, 0 lb P_2O_5 , and 0 lb/a K_2O .

Soil Test: P = Very High, K = High, and pH = 6.7.

Soil Type: Tifton sandy loam.

Previous Crop: Corn.

Management: Disked, moldboard plowed, and rototilled; Sonalan (incorporated), Select Max, and Cobra used for weed control; Orthene used for insect control; Chlorothanil, Bravo, Fontelis, and Folicur used for disease control.

	May	June	July	Aug.	Sept.
Irrigation (in):	0.50	1.00	3.00	1.50	0
Rainfall (in):	1.11	3.94	3.38	6.31	6.17

Test conducted by R. Brooke, D. Dunn, and G. South.

**Tifton, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Nonirrigated**

Variety	Digging	Yield	TSMK	OK	DK	ELK	Seed
	Date						
		lb/A	%	%	%	%	no./lb
<u>Runner Types</u>							
Georgia-06G	10/01	6440	73.0	3.0	0.0	.	669
TUFRunner™ '297'	10/01	6434	69.5	4.0	0.5	.	722
Georgia Greener	10/01	6334	73.5	3.0	0.0	.	685
Georgia-16HO	10/11	6271	73.0	2.0	0.5	.	673
Georgia-07W	10/11	6246	72.0	3.0	0.5	.	698
Georgia-13M	10/11	6209	73.0	3.0	0.5	.	845
Florida-07	10/11	6160	70.0	3.0	0.0	.	663
GA 122706 ¹	10/11	6086	74.0	3.0	1.0	.	721
Georgia-12Y	10/11	5999	67.5	4.0	1.5	.	742
GA 122540 ¹	10/11	5999	74.0	4.0	0.5	.	732
GA 112557 ¹	10/11	5962	73.5	4.0	0.0	.	772
TUFRunner™ '511'	10/11	5900	71.5	3.0	0.5	.	624
Tifguard	10/01	5878	70.0	3.5	0.0	.	697
TUFRunner™ '727'	10/11	5838	70.5	4.0	0.5	.	711
GA 132713 ¹	10/01	5831	71.0	4.5	1.0	.	752
GA 133106 ¹	10/11	5764	74.0	3.0	0.5	.	683
GA 122544 ¹	10/11	5677	73.0	3.0	0.5	.	671
FloRun™ '107'	10/01	5363	69.5	3.5	0.5	.	762
GA 133108 ¹	10/01	5314	70.0	4.0	1.0	.	804
FLoRun™ '157'	10/01	5290	70.5	4.0	1.0	.	736
TifNV-HighO/L	10/01	5287	72.0	3.0	0.5	.	660
Georgia-09B	10/01	5105	72.5	3.0	0.0	.	763
Georgia-14N	10/11	5059	72.5	4.0	0.5	.	851
Average	10/07	5845	71.7	3.4	0.5	.	723
LSD at 10% Level		510	3.6	N.S. ²	-	.	94
CV %		9.4	2.5	29.9	-	.	8.0
<u>Virginia Types</u>							
GA 132724 ¹	10/01	6071	70.5	3.0	1.0	47.0	621
Georgia-11J	10/11	5702	66.0	2.5	1.5	43.5	567
Sullivan	09/24	5535	64.5	3.0	1.0	35.0	624
Bailey	09/24	4809	65.5	2.5	1.0	34.5	559
Wynne	09/24	4750	64.0	2.5	1.0	38.5	511
Sugg	09/24	4577	66.5	2.5	1.0	41.5	537
CHAMPS	09/24	4527	66.0	3.0	1.0	36.5	555
Average	09/27	5139	66.1	2.7	1.1	39.5	568
LSD at 10% Level		510	3.6	N.S.	-	3.7	94
CV %		9.4	2.5	29.9	-	23.5	8.0

**Tifton, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Nonirrigated
(Continued)**

1. Advanced Georgia breeding line.
2. The F-test indicated no statistical differences at the alpha = 0.10 probability level; therefore, an LSD value was not calculated.

Bolding indicates entries not significantly different from highest yielding entry based on Fisher's protected LSD (P = 0.10).

Planted: May 12, 2016.
 Seeding Rate: 6 seed/row foot in 36" rows.
 Fertilization: 0 lb N, 0 lb P₂O₅, 0 lb K₂O, and 1000 lb/a gypsum.
 Soil Test: P = Very High, K = High, and pH = 6.7.
 Soil Type: Tifton sandy loam.
 Previous Crop: Corn.
 Management: Disked, moldboard plowed, and rototilled; Sonalan (incorporated), Select Max, and Cobra used for weed control; Chlorothanil, Bravo, Fontelis, and Folicur used for disease control.

	May	June	July	Aug.	Sept.
Rainfall (in):	1.11	3.94	3.38	6.31	6.17

Test conducted by R. Brooke, D. Dunn, and G. South.

**Plains, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Irrigated**

Variety	Digging	Yield	TSMK	OK	DK	ELK	Seed
	Date						
Runner Types							
Georgia-13M	10/12	5269	74.0	3.0	0.5	.	817
TUFRunner™ '297'	10/04	4883	70.0	3.5	3.0	.	613
GA 122706 ¹	10/12	4668	75.0	2.5	1.5	.	734
Georgia-09B	10/04	4638	67.5	5.0	2.5	.	767
Georgia-06G	10/04	4629	69.0	4.0	2.0	.	612
FloRun™ '107'	10/04	4535	67.5	5.0	1.5	.	734
TUFRunner™ '727'	10/12	4423	73.5	2.5	1.0	.	684
Georgia-14N	10/12	4354	70.0	3.5	2.5	.	882
GA 132713 ¹	10/04	4327	70.5	5.0	1.0	.	834
TifNV-HighO/L	10/04	4221	68.5	3.5	1.5	.	675
Georgia Greener	10/04	4206	70.5	5.5	2.0	.	683
Georgia-07W	10/12	4190	65.5	5.0	3.0	.	736
TUFRunner™ '511'	10/12	4131	69.5	3.0	2.0	.	608
GA 112557 ¹	10/12	4119	73.0	3.0	2.5	.	700
Florida-07	10/12	4111	66.5	5.5	1.5	.	653
Georgia-12Y	10/12	4020	70.0	3.5	1.0	.	704
Tifguard	10/04	3950	66.5	5.5	1.5	.	645
FLoRun™ '157'	10/04	3905	69.5	4.5	2.0	.	804
Georgia-16HO	10/12	3872	68.0	4.5	2.5	.	628
GA 133108 ¹	10/04	3845	68.5	4.0	1.0	.	787
GA 122540 ¹	10/12	3844	77.0	3.0	0.0	.	626
GA 133106 ¹	10/12	3711	71.5	4.5	1.0	.	703
GA 122544 ¹	10/12	3352	69.5	2.5	2.5	.	654
Average	10/09	4226	70.0	4.0	1.7	.	708
LSD at 10% Level		538	5.0	1.6	1.3	.	67
CV %		13.6	4.2	26.1	42.6	.	5.9
Virginia Types							
GA 132724 ¹	10/04	4889	69.0	3.0	2.5	47.5	606
Georgia-11J	10/12	4082	65.5	2.5	1.5	46.5	479
Bailey	09/25	3854	63.5	3.0	2.0	34.0	528
Wynne	09/25	3768	60.5	4.0	2.5	38.0	489
Sullivan	09/25	3413	62.5	3.0	1.0	27.5	604
Sugg	09/25	3365	63.5	2.5	2.0	38.5	516
CHAMPS	09/25	3254	66.0	2.0	2.0	41.5	477
Average	09/29	3804	64.4	2.9	1.9	39.1	528
LSD at 10% Level		538	5.0	1.6	1.3	8.2	67
CV %		13.6	4.2	26.1	42.6	-	5.9

**Plains, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Irrigated
(Continued)**

1. Advanced Georgia breeding line.

Bolding indicates entries not significantly different from highest yielding entry based on Fisher's protected LSD ($P = 0.10$).

Planted: May 16, 2016.

Seeding Rate: 6 seed/row foot in 36" rows.

Fertilization: 18 lb N, 46 lb P_2O_5 , 60 lb K_2O , and 1000 lb/a lime.

Soil Test: P = High, K = Very High, and pH = 6.0.

Soil Type: Faceville sandy loam.

Previous Crop: Corn.

Management: Disked, subsoiled, and rototilled; Sonalan, Strong Arm, Valor, and Basagran used for weed control; Headline, Convoy, Bravo, and Provost used for disease control.

Irrigation: Irrigated 9.5 inches.

	May	June	July	Aug.	Sept.
Rainfall (in):	0.79	4.02	1.03	.090	2.20

Test conducted by D. Pearce, W. Jones, R. Brooke, D. Dunn, and G. South.

**Plains, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Nonirrigated**

Variety	Digging	Yield	TSMK	OK	DK	ELK	Seed
	Date						
Runner Types							
TUFRunner™ '297'	10/12	3765	75.5	2.0	1.0	.	586
Georgia-13M	10/12	3760	75.0	2.5	1.0	.	914
Georgia-09B	10/12	3467	73.5	3.0	0.5	.	752
GA 112557 ¹	10/12	3463	77.5	2.0	1.0	.	742
FloRun™ '107'	10/12	3439	71.5	3.5	1.0	.	742
Georgia-14N	10/12	3414	74.5	2.0	2.0	.	821
Georgia-12Y	10/12	3413	72.5	2.5	0.5	.	774
Georgia-06G	10/12	3389	76.5	1.0	0.0	.	642
GA 132713 ¹	10/12	3384	75.0	3.0	0.5	.	773
Georgia-16HO	10/12	3377	73.0	3.0	1.0	.	658
TUFRunner™ '727'	10/12	3352	72.5	3.0	1.0	.	689
FLoRun™ '157'	10/12	3352	74.5	3.0	1.0	.	769
Georgia-07W	10/12	3327	73.0	2.5	1.5	.	651
Tifguard	10/12	3325	74.5	2.0	1.0	.	650
GA 122544 ¹	10/12	3320	74.0	2.5	0.5	.	712
Georgia Greener	10/12	3278	74.5	2.0	1.5	.	733
TUFRunner™ '511'	10/12	3220	75.0	2.0	1.0	.	651
Florida-07	10/12	3203	70.0	3.5	1.0	.	658
TifNV-HighO/L	10/12	3117	72.0	2.0	1.0	.	658
GA 122706 ¹	10/12	3013	76.0	1.5	1.0	.	737
GA 133108 ¹	10/12	2981	73.5	2.5	1.0	.	801
GA 122540 ¹	10/12	2894	75.5	3.0	0.5	.	715
GA 133106 ¹	10/12	2834	74.5	2.5	1.0	.	690
Average	10/12	3308	74.1	2.5	0.9	.	718
LSD at 10% Level		410	2.7	1.7	-	.	43
CV %		12.8	2.2	39.4	-	.	3.8
Virginia Types							
Georgia-11J	10/12	3868	70.5	1.5	2.0	46.0	496
Wynne	10/05	3842	71.0	2.0	0.5	43.0	477
GA 132724	10/12	3617	74.0	1.0	1.5	52.0	611
Bailey	10/05	3576	66.0	4.5	1.5	39.0	534
Sugg	10/05	3248	69.0	2.5	2.0	45.0	516
Sullivan	10/05	3084	64.0	5.0	1.0	39.5	547
CHAMPS	10/05	3058	69.0	2.5	2.0	48.5	507
Average	10/07	3471	69.1	2.7	1.5	44.7	527
LSD at 10% Level		410	2.7	1.7	-	7.8	43
CV %		12.8	2.2	39.4	-	-	3.8

**Plains, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Nonirrigated
(Continued)**

1. Advanced Georgia breeding line.

Bolding indicates entries not significantly different from highest yielding entry based on Fisher's protected LSD ($P = 0.10$).

Planted: May 16, 2016.

Seeding Rate: 6 seed/row foot in 36" rows.

Fertilization: 18 lb N, 46 lb P_2O_5 , 60 lb K_2O , and 1000 lb/a lime.

Soil Test: P = High, K = Very High, and pH = 6.2.

Soil Type: Faceville sandy loam.

Previous Crop: Corn.

Management: Disked, subsoiled, and rototilled; Sonalan, Strong Arm, Valor, and Basagran used for weed control; Headline, Convoy, Bravo, and Provost used for disease control.

	May	June	July	Aug.	Sept.
Rainfall (in):	0.79	4.02	1.03	.090	2.20

Test conducted by D. Pearce, W. Jones, R. Brooke, D. Dunn, and G. South.

**Midville, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Irrigated**

Variety	Digging Date	Yield lb/A	TSMK %	OK %	DK %	ELK %	Seed no./lb
Runner Types							
TUFRunner™ '297'	09/29	6532	70.5	4.5	0.0	.	633
Georgia-09B	09/29	6437	72.5	3.5	0.0	.	730
Georgia-06G	09/29	6336	71.0	4.5	0.0	.	647
TUFRunner™ '511'	10/07	6258	71.0	4.5	0.0	.	667
GA 122540 ¹	10/07	6229	76.0	3.0	0.5	.	694
Georgia-07W	10/07	6185	75.0	3.0	0.0	.	668
FloRun™ '107'	09/29	6042	69.5	6.0	0.0	.	728
Georgia-16HO	10/07	5914	74.5	3.0	0.0	.	661
GA 112557 ¹	10/07	5886	76.5	3.0	0.0	.	702
GA 122706 ¹	10/07	5850	75.5	2.5	0.5	.	727
TUFRunner™ '727'	10/07	5817	72.5	4.5	0.0	.	668
GA 133108 ¹	09/29	5800	69.5	5.5	0.0	.	823
Georgia-13M	10/07	5791	70.5	5.5	0.5	.	867
Georgia Greener	09/29	5726	72.5	4.0	0.0	.	731
Tifguard	09/29	5706	69.5	4.5	0.0	.	660
GA 132713 ¹	09/29	5664	71.5	5.5	0.0	.	857
TifNV-HighO/L	09/29	5621	68.0	4.5	1.0	.	650
Florida-07	10/07	5596	70.0	4.0	0.0	.	679
GA 122544 ¹	10/07	5591	73.5	4.0	0.0	.	671
Georgia-12Y	10/18	5527	73.5	2.0	0.0	.	742
Georgia-14N	10/07	5511	73.5	5.0	0.0	.	834
GA 133106 ¹	10/18	5511	77.0	2.5	0.0	.	716
FLoRun™ '157'	09/29	5199	70.0	6.0	0.0	.	763
Average	10/04	5858	72.3	4.1	0.1	.	718
LSD at 10% Level		478	2.2	1.4	-	.	43
CV %		8.6	1.8	21.2	-	.	3.7
Virginia Types							
Georgia-11J	10/18	7501	72.5	1.0	0.0	60.0	443
GA 132724 ¹	09/29	6234	73.5	2.5	0.5	56.5	523
Wynne	09/23	5770	66.5	2.5	1.0	41.0	489
Sugg	09/23	5232	69.0	2.5	0.5	49.5	502
Bailey	09/23	5137	68.5	3.0	0.0	40.5	568
CHAMPS	09/23	4966	68.5	2.5	1.0	36.0	525
Sullivan	09/23	4483	66.5	3.5	0.0	38.5	595
Average	09/27	5617	69.3	2.5	0.4	46.0	520
LSD at 10% Level		478	2.2	1.4	-	2.2	43
CV %		8.6	1.8	21.2	-	12.2	3.7

**Midville, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Irrigated
(Continued)**

1. Advanced Georgia breeding line.

Bolding indicates entries not significantly different from highest yielding entry based on Fisher's protected LSD (P = 0.10).

Planted: May 24, 2016.

Seeding Rate: 6 seed/row foot in 36" rows.

Fertilization: 0 lb N, 0 lb P₂O₅, 0 lb K₂O, 1000 lb gypsum, and .5 lb/a boron.

Soil Test: P = High, K = Very High, and pH = 6.1.

Soil Type: Tifton loamy sand.

Previous Crop: Cotton.

Management: Disked, moldboard plowed, and field conditioned; Gramoxone, Dual, Storm, Butyrac, Prowl, and Select used for weed control; Convoy, Chlorothalonil, Tebucanazole, and Headline used for disease control.

	May	June	July	Aug.	Sept.
Irrigation (in):	0	3.00	4.50	3.25	1.60
Rainfall (in):	4.22	3.95	6.20	3.88	4.88

Test conducted by R. Brooke, D. Dunn, and G. South.

**Midville, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Nonirrigated**

Variety	Digging Date	Yield	TSMK	OK	DK	ELK	Seed
		lb/A	%	%	%	%	no./lb
Runner Types							
Florida-07	10/18	5321	71.0	2.0	0.5	.	688
TUFRunner™ '727'	10/18	5259	72.5	2.5	0.0	.	681
Georgia-16HO	10/18	5100	73.5	2.5	0.0	.	685
TUFRunner™ '511'	10/18	5063	73.0	2.0	0.0	.	631
Georgia-13M	10/18	4894	73.0	3.0	0.0	.	866
TUFRunner™ '297'	10/07	4874	67.5	4.5	0.5	.	601
Georgia-12Y	10/18	4829	71.0	2.0	1.0	.	719
Georgia-07W	10/18	4817	75.5	1.5	0.0	.	658
GA 122544 ¹	10/18	4743	74.5	1.5	0.0	.	672
GA 122540 ¹	10/18	4620	76.5	2.5	1.0	.	726
GA 112557 ¹	10/18	4547	76.0	3.0	0.0	.	714
Georgia-14N	10/18	4510	77.0	2.0	0.0	.	744
GA 122706 ¹	10/18	4363	73.5	3.5	0.5	.	706
GA 133106 ¹	10/18	4264	76.5	2.0	0.5	.	665
TifNV-HighO/L	10/07	4201	67.5	4.0	1.0	.	681
Georgia-06G	10/07	4156	72.5	3.0	0.0	.	675
FloRun™ '107'	10/07	4004	63.5	7.5	1.0	.	753
GA 132713 ¹	10/07	3964	71.5	4.0	0.0	.	808
Tifguard	10/07	3908	66.5	6.0	0.5	.	651
Georgia-09B	10/07	3817	67.5	6.0	0.5	.	792
FLoRun™ '157'	10/07	3772	69.0	5.5	0.5	.	785
Georgia Greener	10/07	3648	72.0	4.5	0.0	.	732
GA 133108 ¹	10/07	3591	71.0	4.0	0.5	.	781
Average	10/13	4446	71.8	3.4	0.3	.	713
LSD at 10% Level		439	3.8	1.5	-	.	2
CV %		10.4	3.2	25.4	-	.	3.1
Virginia Types							
Georgia-11J	10/18	5935	67.0	2.0	1.0	49.0	529
Wynne	09/29	4498	57.0	5.5	1.5	28.0	531
GA 132724 ¹	10/07	4416	70.5	2.5	0.5	42.0	648
Sullivan	09/29	4069	62.0	4.0	0.5	34.0	564
Sugg	09/29	4013	66.0	4.0	1.0	47.5	495
Bailey	09/29	3794	63.0	4.0	0.5	32.0	552
CHAMPS	09/29	3440	55.0	6.0	2.0	28.0	518
Average	10/03	4309	62.9	4.0	1.0	37.2	548
LSD at 10% Level		439	3.8	1.5	-	5.0	2
CV %		10.4	3.2	25.4	-	34.2	3.1

**Midville, Georgia:
Yield and Grade Performance
Peanut Variety Trial, 2016, Nonirrigated
(Continued)**

1. Advanced Georgia breeding line.

Bolding indicates entries not significantly different from highest yielding entry based on Fisher's protected LSD (P = 0.10).

Planted: May 24, 2016.

Seeding Rate: 6 seed/row foot in 36" rows.

Fertilization: 0 lb N, 0 lb P₂O₅, 0 lb K₂O, 1000 lb gypsum, and .5 lb/a boron.

Soil Test: P = High, K = Very High, and pH = 6.1.

Soil Type: Tifton loamy sand.

Previous Crop: Cotton.

Management: Disked, moldboard plowed, and field conditioned; Gramoxone, Dual, Storm, Butyrac, and Valor used for weed control; Convoy, Chlorothalonil, Tebucanazole, and Headline used for disease control.

	May	June	July	Aug.	Sept.
Rainfall (in):	4.22	3.95	6.20	3.88	4.88

Test conducted by R. Brooke, D. Dunn, and G. South.