Georgia
2026 Corn, Sorghum, and Summer Annual Forages Performance Tests

D. Mailhot, A. Sutton, J. Arrington, D. Dunn,
D. Buntin, X. Ni, and M. Toews, *Authors*



The Georgia Agricultural Experiment Stations
Department of Crop and Soil Sciences
College of Agricultural and Environmental Sciences
University of Georgia Griffin Campus

ACKNOWLEDGEMENT

This work is supported by NIA grant no. GEO00824/project accession no.1011690 from the USDA National Institute of Food and Agriculture. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the view of the U.S. Department of Agriculture

---

Nick Place
Dean and Director

Harshavardhan Thippareddi
Associate Dean for Research

Michael Toews
Assistant Dean of Extension

Timothy Grey
Assistant Dean of Tifton Campus

Jeffery F. D. Dean
Assistant Provost and Griffin Campus Director

Contents

Georgia 2026 Corn, Sorghum, and Summer Annual Forages Performance Tests *1*

ACKNOWLEDGEMENT **2**

Contents *3*

Corn Test Results **5**

Corn Grain Performance, Georgia, 2026 6

Statewide Irrigated Yield Summary by Bushels per Acre *6*

Averages and Statistics *7*

Blairsville, Georgia: Corn Grain Performance, 2026 8

Corn Grain Irrigated Results *8*

Averages and Statistics *9*

Tifton, Georgia: Corn Grain Performance, 2026 10

Corn Grain Irrigated Results *10*

Averages and Statistics *11*

Corn Grain Dryland Results *12*

Averages and Statistics *13*

Midville, Georgia: Corn Grain Performance, 2026 14

Corn Grain Irrigated Results *14*

Averages and Statistics *15*

Plains, Georgia: Corn Grain Performance, 2026 16

Corn Grain Irrigated Results *16*

Averages and Statistics *17*

Griffin, Georgia: Corn Grain Performance, 2026 18

Corn Grain Irrigated Results *18*

Averages and Statistics *19*

Griffin, Georgia: Corn Grain Performance, 2026 20

Corn Grain Dryland Results *20*

Averages and Statistics *21*

Rome, Georgia: Corn Grain Performance, 2026 22

Corn Grain Irrigated Results *22*

Averages and Statistics *23*

Corn Grain Dryland Results *24*

Averages and Statistics *25*

Statewide Harvest Moisture, Georgia, 2026 26

Statewide Corn Harvest Moisture, Percentage *26*

Averages and Statistics *27*

Spring Planted Corn Silage **29**

Statewide Yield Summary: 29

Averages and Statistics *31*

Griffin, Georgia: Evaluation of Corn Hybrids for Silage, 2026, Irrigated 32

Averages and Statistics *33*

Plains, Georgia: 34

Evaluation of Corn Hybrids for Silage, 2026, Irrigated *34*

Averages and Statistics *35*

Quality Factors of Corn Hybrids for Silage Plains, Georgia, 2026 ..... *37*
Averages and Statistics *38*
Nutrient and Elemental Analysis of Corn Hybrids for Silage Plains, Georgia, 2026 ..... *40*
Averages and Statistics *42*
Plains, Georgia: 42
Evaluation of Late Planted Corn Silage Hybrids, 2026, Irrigated *42*
Averages and Statistics *43*
Sorghum Test Results **45**
Statewide Summary: 46
Sorghum Grain Performance, Georgia, 2026, Dryland *46*
Averages and Statistics *46*
Griffin, Georgia: 47
Early Planted Sorghum Grain Performance, 2026, Dryland *47*
Averages and Statistics *47*
Rome, Georgia: 48
Early Planted Sorghum Grain Performance, 2026, Dryland *48*
Averages and Statistics *48*
Tifton, Georgia: 49
Early Planted Sorghum Grain Performance, 2026, Dryland *49*
Averages and Statistics *49*
Tifton, Georgia: 50
Late Planted Sorghum Grain Performance, 2026, Dryland *50*
Averages and Statistics *50*
Plains, Georgia: 51
Early Planted Sorghum Grain Performance, 2026, Dryland *51*
Averages and Statistics *51*
Statewide Yield Summary[1]: 52
Sorghum Silage Performance, Georgia, 2023-2026 ..... *52*
Averages and Statistics *52*
Tifton, Georgia: 53
Sorghum Silage Performance, 2026, Dryland *53*
Averages and Statistics *53*
Griffin, Georgia: 55
Sorghum Silage Performance, 2026, Dryland *55*
Averages and Statistics *55*
Tifton, Georgia: Summer Annual Forage Performance, 2026, Dryland 56
Wide-Stem Forages, Sorghum, Dry-Tons/Acre *56*
Averages and Statistics *56*
Narrow-Stem Forages, Millet, Dry-Tons/Acre *56*
Averages and Statistics *56*

Corn Test Results



Corn Grain Performance, Georgia, 2026

Statewide Irrigated Yield Summary by Bushels per Acre

Company/Brand Name	Hybrid Name	RM	BT	Irrigated				Dryland			Irrigated Average	Dryland Average	Statewide Average[1]
				Tifton	Plains	Griffin	Midville	Blairsville	Tifton	Griffin			
Revere	113-T73	113	Yes	**264**	241	210	281		**118**	215			
Revere	1839 TC	118	Yes	**269**	217	**233**	**295**		72	**239**			
Gateway Seed	3919TRE	119	Yes	**254**	234	**222**	**296**		86	234			
Gateway Seed	4914TRE	114	Yes	**261**	**255**	207	262		**112**	212			
INTEGRA	6410R	114	No	234	196	179	248		**120**	168			
INTEGRA	6493 VT2P	114	Yes	**255**	239	186	278		**121**	**238**			
INTEGRA	6577 TRE	115	Yes	249	239	205	254		**119**	202			
INTEGRA	6641 SS	116	Yes	235	205	198	245		**111**	210			
INTEGRA	6864R	118	No	232	215	181	234		**116**	217			
INTEGRA	6915 VT2P	119	Yes	237	236	**230**	**286**		**111**	**248**			
AgraTech	69RR	114	No	245	223	203	265		**131**	211			
AgraTech	707TRE	116	Yes	248	196	214	263		92	190			
AgraTech	807TRE	118	Yes	**256**	192	198	**289**		**108**	205			
Innvictis	A1254T	112	Yes	206	241	205	238		**103**	192			
Innvictis	A1414T	114	Yes	**269**	237	208	264		**135**	**236**			
Innvictis	A1776VT2P	117	Yes	**256**	235	212	**286**		**123**	**237**			
Innvictis	A1792T	117	Yes	247	241	210	274		86	200			
Innvictis	A1993T	119	Yes	**258**	241	**230**	**298**		**119**	**260**			
BH Genetics	BH 8727TRE	117	Yes	250	**255**	212	274		83	205			
BH Genetics	BH 8939TRE	119	Yes	**258**	238	**218**	**289**		**105**	214			
Croplan	CP5777 SSPRO	117	Yes	245	222	174	241		**129**	217			
Croplan	CP5796 RR	117	No	238	**247**	180	261		**102**	197			
Croplan	CP5893 RR	118	No	250	216	183	248		**133**	185			
Croplan	CP5893 TRE	118	No	250	**243**	206	**284**		95	231			
Croplan	CP5911 VT2P	119	Yes	**273**	222	**224**	**287**		**107**	**245**			
Croplan	CP6640 RR	113	No	**259**	206	192	266		78	206			
INTEGRA	CX361118 GT	118	No	182	153	137	198		88	139			
INTEGRA	CX501117 VT2P	117	Yes	**258**	229	204	263		**106**	218			
INTEGRA	CX611116 LRE	116	No	**254**	**249**	216	262		**130**	214			

Company/Brand Name	Hybrid Name	RM	BT	Irrigated					Dryland		Irrigated Average	Dryland Average	Statewide Average[1]
INTEGRA	CX611117 PWE	117	Yes	**258**	235	212	277		59	**241**			
INTEGRA	CX641120 PWE	120	Yes	**266**	242	195	**301**		**135**	**266**			
Dyna-Gro	D52TC66	112	Yes	**253**	217	195	246		**106**	223			
Dyna-Gro	D54TC77	114	Yes	**258**	238	181	276		91	219			
Dyna-Gro	D55VC86	115	Yes	247	216	202	254		94	216			
Dyna-Gro	D58TC94	118	Yes	246	202	211	276		87	230			
Dyna-Gro	D60TC45	120	Yes	252	223	216	**286**		**116**	219			
DEKALB	DKC115-55 TRE	115	Yes	239	236	175	273		78	191			
DEKALB	DKC119-09 TRE	119	Yes	**254**	218	193	275		74	197			
DEKALB	DKC68-35 VT2P	118	Yes	245	237	197	250		**133**	200			
DEKALB	DKC70-45 VT2P	120	Yes	250	212	199	281		76	**243**			
Pioneer	P15395PWE	115	Yes	252	**266**	**218**	280		72	**248**			
Pioneer	P18216PWE	118	Yes	**273**	**253**	204	281		**125**	207			
Southeastern	SE15-63TRE	115	Yes	251	209	204	252		**128**	196			
Southeastern	SE17-76TRE	117	Yes	250	**254**	202	271		**113**	**237**			
Southeastern	SE18-60TRE	118	Yes	231	227	203	253		**121**	217			
SEEDWAY	SW 1676PE	116	Yes	**254**	213	181	272		**102**	216			
SEEDWAY	SW 1880TR	119	Yes	236	239	186	**292**		**110**	218			
SEEDWAY	SW 2055PE	120	Yes	**257**	**259**	212	**288**		80	**259**			

Averages and Statistics

Statistic	Irrigated				Dryland			Irrigated Average	Dryland Average	Statewide Average
	Tifton	Plains	Griffin	Midville	Blairsville	Tifton	Griffin			
Mean	249	228	201	269		105	217			
LSD at 10% Level	20	23	16	17		34	30			
Model R-Square	0.75	0.76	0.92	0.84		0.70	0.73			
C.V.	5.8	7.58	9.99	4.48		24.1	10.14			

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry

Yields are calculated as 56 pounds per bushel at 15.5% moisture

Blairsville, Georgia:
Corn Grain Performance, 2026

Corn Grain Irrigated Results

Company/Brand Name	*Hybrid Name*	*Relative Maturit*	*Grain Yield bu/acre*	*Grain Moisture%*	*Test Weight lbs/bu*	*Oil%*	*Protein%*	*Starch%*

Company/Brand Name	*Hybrid Name*	*Relative Maturit*	*Grain Yield bu/acre*	*Grain Moisture%*	*Test Weight lbs/bu*	*Oil%*	*Protein%*	*Starch%*

Averages and Statistics

Statistic	*Grain Yield*	*Grain Moisture*	*Test Weight*	*Oil%*	*Protein%*	*Starch%*
Mean						
LSD at 10% Level						
Model R-Square						
C.V.						

Bolded yields are statistically non-significant (p = .10 level) from the highest yielding test entry.

Planted:
Harvested:
Seeding Rate:
Soil Type:
Previous Crop: -
Soil Test:
Fertilization:

- Preplant
- Sidedress

Tillage:
Herbicides:
Fungicides: -
Insecticides: -

Test conducted by J. Arrington, B. Byous, C. Graham, L. Lee, D. Patterson, and D. Rogers

Tifton, Georgia:
Corn Grain Performance, 2026

Corn Grain Irrigated Results

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acre	Grain Moisture %	Test Weight lbs/bu	Oil Percent	Protein Percent	Starch Percent
Croplan	CP5911 VT2P	119	**273**	19.9	56.4	4.08	9.00	72.38
Pioneer	P18216PWE	118	**273**	18.3	59.3	4.13	9.13	72.92
Revere	1839 TC	118	**269**	20.0	56.1	4.12	8.97	72.05
Innvictis	A1414T	114	**269**	17.8	59.6	4.35	9.38	72.18
INTEGRA	CX641120	120	**266**	20.3	59.7	4.42	9.49	72.27
Revere	113-T73	113	**264**	18.1	60.2	4.30	9.69	72.25
Gateway Seed	4914TRE	114	**261**	18.5	59.2	4.23	9.52	72.43
Croplan	CP6640 RR	113	**259**	20.8	58.6	4.20	9.22	72.13
INTEGRA	CX501117 VT2P	117	**258**	20.0	58.7	4.20	8.98	72.50
Innvictis	A1993T	119	**258**	20.9	55.8	4.27	9.74	72.07
BH Genetics	BH 8939TRE	119	**258**	20.6	54.2	4.22	9.22	71.42
Dyna-Gro	D54TC77	114	**258**	18.1	59.9	4.30	9.27	72.48
INTEGRA	CX611117	117	**258**	20.2	57.0	4.23	9.50	72.38
SEEDWAY	SW 2055PE	120	**257**	20.5	59.2	4.43	9.56	72.23
AgraTech	807TRE	118	**256**	19.8	57.3	4.08	9.03	72.17
Innvictis	A1776VT2P	117	**256**	20.3	57.4	4.30	9.58	72.03
INTEGRA	6493 VT2P	114	**255**	17.6	60.0	4.43	9.04	72.23
DEKALB	DKC119-09	119	**254**	21.4	57.7	4.38	9.17	72.08
INTEGRA	CX611116 LRE	116	**254**	19.0	58.8	4.13	9.09	72.52
Gateway Seed	3919TRE	119	**254**	20.6	54.8	4.25	9.02	71.83
SEEDWAY	SW 1676PE	116	**254**	19.6	57.2	4.17	9.99	72.10
Dyna-Gro	D52TC66	112	**253**	16.7	58.9	4.05	9.02	72.67
Dyna-Gro	D60TC45	120	252	21.6	54.8	4.40	9.51	71.58
Pioneer	P15395PWE	115	252	17.2	58.6	4.13	9.49	72.45
Southeastern	SE15-63TRE	115	251	18.3	58.9	4.20	9.87	72.32
DEKALB	DKC70-45	120	250	21.4	58.8	4.25	9.34	72.32
BH Genetics	BH 8727TRE	117	250	19.4	59.9	4.30	9.48	72.32
Croplan	CP5893 TRE	118	250	19.1	60.6	4.15	9.46	72.32
Croplan	CP5893 RR	118	250	19.4	59.4	4.38	9.83	71.73
Southeastern	SE17-76TRE	117	250	19.6	55.9	4.07	9.18	72.50
INTEGRA	6577 TRE	115	249	17.8	60.6	4.30	8.76	72.73
AgraTech	707TRE	116	248	19.1	58.6	4.12	9.39	72.32
Innvictis	A1792T	117	247	19.2	61.5	4.32	9.19	72.28
Dyna-Gro	D55VC86	115	247	18.7	59.0	4.42	9.54	72.30
Dyna-Gro	D58TC94	118	246	19.2	61.4	4.37	9.32	72.23
Croplan	CP5777	117	245	20.6	57.4	4.07	9.75	71.68
DEKALB	DKC68-35	118	245	18.4	60.8	4.07	9.17	72.68
AgraTech	69RR	114	245	18.3	59.0	4.20	9.77	72.30
DEKALB	DKC115-55	115	239	18.5	59.4	4.20	9.72	72.32

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acre	Grain Moisture %	Test Weight lbs/bu	Oil Percent	Protein Percent	Starch Percent
Croplan	CP5796 RR	117	238	20.3	56.3	3.88	9.21	71.80
INTEGRA	6915 VT2P	119	237	20.2	57.2	4.23	9.14	72.25
SEEDWAY	SW 1880TR	119	236	21.0	55.4	4.22	9.44	71.92
INTEGRA	6641 SS	116	235	19.7	57.1	4.15	10.04	71.67
INTEGRA	6410R	114	234	18.5	58.6	4.13	8.96	72.33
INTEGRA	6864R	118	232	19.4	58.7	4.15	9.83	71.90
Southeastern	SE18-60TRE	118	231	18.7	57.7	4.33	8.95	72.47
Innvictis	A1254T	112	206	17.6	55.0	3.85	9.66	71.57
INTEGRA	CX361118 GT	118	182	20.9	55.1	4.33	10.18	71.47

Averages and Statistics

Statistic	Grain Yield	Grain Moisture	Test Weight	Oil Percent	Protein Percent	Starch Percent
Mean	249	19.4	58.2	4.22	9.39	72.19
LSD at 10% Level	20	0.9	2.0	0.18	0.40	0.42
Model R-Square	0.75	0.88	0.77	0.69	0.74	0.72
C.V.	5.80	3.57	2.44	3.21	3.15	0.43

Bolded yields are statistically non-significant (p = .10 level) from the highest yielding test entry.

Planted: April 1, 2026
Harvested: August 17, 2026
Seeding Rate: 34,000 seeds per acre in 36-inch rows
Soil Type: Tifton Loamy Sand
Previous Crop: Peanuts
Soil Test: 93.5 P, 127.0 K, 6.61 pH
Fertilization:
Preplant: 130.0 lb N, 210.0 lb P, 280.0 lb/acre K
Sidedress: 260.0 lb N, 56.0 lb/acre S
Tillage: Conventional
Herbicides: Atrazine, Warrant, Zidua, Glyphosate
Fungicides: -
Irrigation: 12.6 In
Insecticides:

Test conducted by M. Cofield, W. Mosteller, and D. Dunn

Corn Grain Dryland Results

Company/ Brand Name	*Hybrid Name*	*Relative Maturity Days*	*Grain Yield bu/acre*	*Grain Moisture %*	*Test Weight lbs/bu*	*Oil Percent*	*Protein Percent*	*Starch Percent*
INTEGRA	CX641120 PWE	120	**135**	19.4	60.0	4.10	9.61	72.60
Innvictis	A1414T	114	**135**	19.8	57.7	4.41	9.90	71.99
Croplan	CP5893 RR	118	**133**	21.2	56.4	4.35	9.85	71.81
DEKALB	DKC68-35 VT2P	118	**133**	19.7	58.6	4.13	9.50	72.73
AgraTech	69RR	114	**131**	19.1	58.2	4.01	9.19	72.86
INTEGRA	CX611116 LRE	116	**130**	17.8	58.0	3.88	9.45	72.02
Croplan	CP5777 SSPRO	117	**129**	21.8	56.8	4.03	9.63	71.94
Southeastern	SE15-63TRE	115	**128**	19.3	58.4	4.15	10.07	72.05
Pioneer	P18216PWE	118	**125**	17.7	59.1	3.91	10.02	72.51
Innvictis	A1776VT2P	117	**123**	20.4	57.0	4.23	9.71	71.87
INTEGRA	6493 VT2P	114	**121**	18.2	58.4	4.63	9.65	72.08
Southeastern	SE18-60TRE	118	**121**	18.0	58.5	4.46	9.31	72.28
INTEGRA	6410R	114	**120**	19.5	57.5	4.17	9.52	72.02
Innvictis	A1993T	119	**119**	22.7	54.5	4.37	9.87	71.47
INTEGRA	6577 TRE	115	**119**	19.0	59.6	4.06	9.40	72.50
Revere	113-T73	113	**118**	18.5	58.3	4.16	9.63	72.56
INTEGRA	6864R	118	**116**	21.2	57.4	4.24	9.76	71.98
Dyna-Gro	D60TC45	120	**116**	20.2	57.4	4.46	9.81	71.90
Southeastern	SE17-76TRE	117	**113**	19.5	56.4	3.98	9.61	72.33
Gateway Seed	4914TRE	114	**112**	18.2	57.8	4.08	9.39	72.48
INTEGRA	6915 VT2P	119	**111**	21.9	55.5	4.47	10.12	71.22
INTEGRA	6641 SS	116	**111**	19.6	57.1	4.10	9.87	71.93
SEEDWAY	SW 1880TR	119	**110**	21.0	56.8	4.35	10.18	71.50
AgraTech	807TRE	118	**108**	20.9	55.1	4.10	9.61	71.85
Croplan	CP5911 VT2P	119	**107**	20.1	57.1	4.47	10.01	71.80
Dyna-Gro	D52TC66	112	**106**	16.8	59.1	4.30	9.11	72.85
INTEGRA	CX501117 VT2P	117	**106**	20.6	58.7	4.34	9.43	72.24
BH Genetics	BH 8939TRE	119	**105**	21.7	56.3	4.47	9.67	71.82
Innvictis	A1254T	112	**103**	17.9	56.6	4.26	9.54	72.05
SEEDWAY	SW 1676PE	116	**102**	19.2	56.7	4.13	9.98	71.75
Croplan	CP5796 RR	117	**102**	21.2	56.0	4.05	9.38	71.89
Croplan	CP5893 TRE	118	95	20.9	58.7	4.29	9.75	72.05
Dyna-Gro	D55VC86	115	94	19.6	59.0	4.39	9.87	72.00
AgraTech	707TRE	116	92	20.3	58.2	4.20	9.70	72.28
Dyna-Gro	D54TC77	114	91	19.0	59.0	4.27	9.58	72.17
INTEGRA	CX361118 GT	118	88	22.0	53.2	4.37	10.23	71.22
Dyna-Gro	D58TC94	118	87	21.4	57.9	4.09	9.49	72.06
Innvictis	A1792T	117	86	21.8	58.1	4.40	9.86	71.71
Gateway Seed	3919TRE	119	86	19.3	57.5	4.44	9.95	71.93
BH Genetics	BH 8727TRE	117	83	21.4	58.3	4.42	10.02	71.87
SEEDWAY	SW 2055PE	120	80	19.8	60.3	4.29	9.67	72.19
DEKALB	DKC115-55 TRE	115	78	17.6	60.9	4.53	10.05	72.04

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acre	Grain Moisture %	Test Weight lbs/bu	Oil Percent	Protein Percent	Starch Percent
Croplan	CP6640 RR	113	78	22.4	56.6	4.44	9.78	71.53
DEKALB	DKC70-45 VT2P	120	76	20.8	58.8	4.20	9.73	71.98
DEKALB	DKC119-09 TRE	119	74	21.8	56.7	4.55	9.34	71.70
Revere	1839 TC	118	72	20.6	57.7	4.35	10.33	71.82
Pioneer	P15395PWE	115	72	16.5	59.1	4.20	9.80	72.49
INTEGRA	CX611117 PWE	117	59	18.6	55.2	4.14	9.97	71.91

Averages and Statistics

Statistic	Grain Yield	Grain Moisture	Test Weight	Oil Percent	Protein Percent	Starch Percent
Mean	105	19.9	57.6	4.26	9.73	72.04
LSD at 10% Level	34	1.6	1.89	0.27	0.52	0.59
Model R-Square	0.70	0.80	0.74	0.67	0.61	0.67
C.V.	24.1	5.92	2.41	4.59	3.93	0.60

Bolded yields are statistically non-significant (p = .10 level) from the highest yielding test entry.

Planted: March 31, 2026
Harvested: August 14, 2026
Seeding Rate: 24,000 seeds per acre in 36-inch rows
Soil Type: Tifton Loamy Sand
Previous Crop: Fallow
Soil Test: 76.7 P, 164 K, 5.93 pH
Fertilization:
Preplant: 100.0 lb N, 60.0 lb P, 100 lb/acre K
Sidedress: 130.0 lb N, 23.0 lb/acre S
Tillage: Conventional
Herbicides: Atrazine, Glyphosate, Round Up, Prowl
Fungicides: -
Irrigation: -
Insecticides: -

Test conducted by M. Cofield, W. Mosteller, and D. Dunn

Midville, Georgia:
Corn Grain Performance, 2026

Corn Grain Irrigated Results

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acre	Grain Moisture %	Test Weight lbs/bu	Oil Percent	Protein Percent	Starch Percent
INTEGRA	CX641120 PWE	120	**301**	20.6	59.0	4.17	9.03	72.60
Innvictis	A1993T	119	**298**	21.0	56.1	4.11	8.97	72.05
Gateway Seed	3919TRE	119	**296**	20.7	55.1	4.18	9.08	71.90
Revere	1839 TC	118	**295**	20.0	56.0	4.14	9.03	72.18
SEEDWAY	SW 1880TR	119	**292**	20.9	55.3	4.07	9.05	72.17
BH Genetics	BH 8939TRE	119	**289**	21.3	55.3	4.34	8.98	72.03
AgraTech	807TRE	118	**289**	20.4	55.8	4.14	9.02	72.12
SEEDWAY	SW 2055PE	120	**288**	19.4	60.0	4.22	9.12	72.80
Croplan	CP5911 VT2P	119	**287**	21.1	55.3	4.12	9.02	72.43
Innvictis	A1776VT2P	117	**286**	19.3	56.5	3.97	9.08	72.07
INTEGRA	6915 VT2P	119	**286**	20.8	54.9	4.19	9.02	71.87
Dyna-Gro	D60TC45	120	**286**	19.6	56.0	4.06	8.82	71.95
Croplan	CP5893 TRE	118	**284**	19.4	58.9	4.11	9.32	72.30
Pioneer	P18216PWE	118	281	18.2	58.7	3.93	8.95	73.17
DEKALB	DKC70-45 VT2P	120	281	20.5	57.8	4.16	9.22	72.25
Revere	113-T73	113	281	16.2	59.7	3.91	9.43	72.42
Pioneer	P15395PWE	115	280	16.7	58.2	4.04	9.07	73.13
INTEGRA	6493 VT2P	114	278	18.2	58.2	4.22	8.80	72.40
INTEGRA	CX611117 PWE	117	277	19.8	55.1	4.04	9.42	72.12
Dyna-Gro	D54TC77	114	276	17.6	59.4	3.90	9.43	72.38
Dyna-Gro	D58TC94	118	276	20.3	57.0	4.00	9.28	71.95
DEKALB	DKC119-09 TRE	119	275	20.4	57.1	4.06	8.67	71.83
Innvictis	A1792T	117	274	19.5	58.9	4.11	9.25	72.32
BH Genetics	BH 8727TRE	117	274	18.6	57.8	4.09	9.60	72.10
DEKALB	DKC115-55 TRE	115	273	18.0	59.0	3.95	9.10	72.45
SEEDWAY	SW 1676PE	116	272	18.5	58.3	4.04	9.42	72.57
Southeastern	SE17-76TRE	117	271	18.0	55.3	3.85	9.40	72.40
Croplan	CP6640 RR	113	266	21.0	53.8	4.01	9.15	70.45
AgraTech	69RR	114	265	17.6	57.4	3.82	9.18	72.47
Innvictis	A1414T	114	264	17.5	57.4	4.10	10.00	71.68
INTEGRA	CX501117 VT2P	117	263	20.6	54.6	3.82	9.02	71.62
AgraTech	707TRE	116	263	18.9	57.4	3.93	9.43	72.18
INTEGRA	CX611116 LRE	116	262	17.6	59.6	3.80	9.00	72.53
Gateway Seed	4914TRE	114	262	17.1	58.3	4.06	9.13	72.48
Croplan	CP5796 RR	117	261	20.8	54.4	3.78	8.72	71.42
INTEGRA	6577 TRE	115	254	17.5	59.0	3.87	9.30	72.33
Dyna-Gro	D55VC86	115	254	17.8	57.7	3.97	9.42	72.15
Southeastern	SE18-60TRE	118	253	18.6	57.1	4.17	8.98	72.35

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acre	Grain Moisture %	Test Weight lbs/bu	Oil Percent	Protein Percent	Starch Percent
Southeastern	SE15-63TRE	115	252	17.1	58.3	3.98	9.27	72.43
DEKALB	DKC68-35 VT2P	118	250	18.2	58.6	3.92	9.07	72.53
INTEGRA	6410R	114	248	19.2	58.1	4.09	8.73	72.28
Croplan	CP5893 RR	118	248	19.0	57.0	3.96	9.57	72.03
Dyna-Gro	D52TC66	112	246	16.0	58.7	3.73	9.12	72.37
INTEGRA	6641 SS	116	245	18.9	55.6	3.88	10.00	71.77
Croplan	CP5777 SSPRO	117	241	19.1	57.0	3.95	9.55	71.97
Innvictis	A1254T	112	238	16.8	53.7	3.93	9.50	70.55
INTEGRA	6864R	118	234	20.0	56.0	4.07	9.47	71.83
INTEGRA	CX361118 GT	118	198	20.4	54.2	4.22	9.83	71.58

Averages and Statistics

Statistic	Grain Yield	Grain Moisture	Test Weight	Oil Percent	Protein Percent	Starch Percent
Mean	269	19.1	57.1	4.02	9.21	72.15
LSD at 10% Level	17	1.1	1.3	0.16	0.37	0.64
Model R-Square	0.74	0.89	0.88	0.74	0.72	0.70
C.V.	4.48	4.27	1.70	2.98	3.01	0.63

Bolded yields are statistically non-significant (p = 10 level) from the highest yielding test entry.

Planted: April 2, 2026
Harvested: August 19, 2026
Seeding Rate: 34,000 seeds per acre in 36-inch rows
Soil Type: Dothan Sandy Loam
Previous Crop: Peanuts
Soil Test: 60.0 P, 181.0 K, 6.30 pH
Fertilization:
Preplant: 66.0 lb N, 170.0 lb P, 220.0 lb/acre K
Sidedress: 240.0 lb N, 50.0 lb/acre S
Tillage: Conventional
Herbicides: Atrazine, Glyphosate, Warrant
Fungicides: -
Irrigation: 9.75 In
Insecticides: -
Nematicides: Telone 2

Test conducted by M. Cofield, W. Mosteller, D. Dunn, J. Lanier, R. Milton, and T. Woodward

Plains, Georgia:
Corn Grain Performance, 2026

Corn Grain Irrigated Results

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acre	Grain Moisture %	Test Weight lbs/bu	Oil Percent	Protein Percent	Starch Percent
Pioneer	P15395PWE	115	**266**	14.6	59.2	3.89	8.75	73.59
SEEDWAY	SW 2055PE	120	**259**	15.5	61.2	4.11	8.88	72.79
Gateway Seed	4914TRE	114	**255**	14.4	59.0	3.82	8.38	73.69
BH Genetics	BH 8727TRE	117	**255**	15.5	60.2	4.07	8.92	73.04
Southeastern	SE17-76TRE	117	**254**	14.6	58.7	3.76	8.77	73.31
Pioneer	P18216PWE	118	**253**	14.3	59.4	3.80	8.62	73.62
INTEGRA	CX611116 LRE	116	**249**	14.9	61.9	3.79	8.60	73.19
Croplan	CP5796 RR	117	**247**	16.4	57.7	3.71	8.88	72.12
Croplan	CP5893 TRE	118	**243**	15.1	61.3	4.01	9.18	72.60
INTEGRA	CX641120 PWE	120	242	15.0	62.3	4.03	9.00	73.36
Innvictis	A1993T	119	241	14.7	59.6	4.13	8.52	73.43
Innvictis	A1792T	117	241	15.3	61.7	4.00	9.15	72.79
Innvictis	A1254T	112	241	13.9	58.2	3.86	8.88	72.82
Revere	113-T73	113	241	14.3	59.4	3.93	9.03	72.97
SEEDWAY	SW 1880TR	119	239	15.2	59.3	4.27	8.80	72.90
INTEGRA	6577 TRE	115	239	14.3	61.0	4.21	8.97	72.77
INTEGRA	6493 VT2P	114	239	14.0	60.5	4.12	8.42	73.26
Dyna-Gro	D54TC77	114	238	14.2	60.9	3.99	8.78	73.34
BH Genetics	BH 8939TRE	119	238	14.7	59.7	4.05	8.43	73.36
Innvictis	A1414T	114	237	14.8	59.9	4.03	9.20	72.91
DEKALB	DKC68-35 VT2P	118	237	15.2	60.0	3.88	8.70	73.32
DEKALB	DKC115-55 TRE	115	236	14.1	61.0	4.18	8.88	73.29
INTEGRA	6915 VT2P	119	236	14.4	59.9	4.08	8.72	72.99
INTEGRA	CX611117 PWE	117	235	15.0	58.1	4.05	8.82	73.18
Innvictis	A1776VT2P	117	235	16.1	57.2	3.95	8.65	72.52
Gateway Seed	3919TRE	119	234	15.2	58.8	4.10	9.38	72.58
INTEGRA	CX501117 VT2P	117	229	15.6	56.7	3.97	9.02	72.31
Southeastern	SE18-60TRE	118	227	14.4	60.2	4.12	9.02	72.86
Dyna-Gro	D60TC45	120	223	14.6	58.8	4.08	8.82	72.69
AgraTech	69RR	114	223	14.6	59.3	3.96	8.95	73.00
Croplan	CP5911 VT2P	119	222	14.4	58.5	4.00	9.03	72.93
Croplan	CP5777 SSPRO	117	222	16.3	56.9	3.96	9.57	71.99
DEKALB	DKC119-09 TRE	119	218	15.9	59.3	4.06	8.63	72.59
Dyna-Gro	D52TC66	112	217	13.8	60.4	3.93	8.62	73.38
Revere	1839 TC	118	217	14.9	58.9	4.06	9.13	72.49
Dyna-Gro	D55VC86	115	216	14.6	58.6	4.10	9.08	72.67
Croplan	CP5893 RR	118	216	15.2	60.6	4.01	9.40	72.85
INTEGRA	6864R	118	215	15.1	60.3	4.01	9.33	72.54
SEEDWAY	SW 1676PE	116	213	15.2	60.9	4.21	9.67	72.56

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acre	Grain Moisture %	Test Weight lbs/bu	Oil Percent	Protein Percent	Starch Percent
DEKALB	DKC70-45 VT2P	120	212	16.7	60.4	4.12	9.12	72.61
Southeastern	SE15-63TRE	115	209	15.0	58.7	3.97	9.32	72.81
Croplan	CP6640 RR	113	206	16.3	57.1	3.92	9.03	71.94
INTEGRA	6641 SS	116	205	15.3	59.8	4.07	9.35	72.66
Dyna-Gro	D58TC94	118	202	15.4	61.4	4.11	9.20	72.91
AgraTech	707TRE	116	196	15.6	58.8	3.89	9.13	72.29
INTEGRA	6410R	114	196	13.9	60.5	3.91	8.65	72.99
AgraTech	807TRE	118	192	15.5	57.4	4.05	9.05	72.58
INTEGRA	CX361118 GT	118	153	16.1	57.1	3.93	9.50	72.56

Averages and Statistics

Statistic	Grain Yield	Grain Moisture	Test Weight	Oil Percent	Protein Percent	Starch Percent
Mean	228	15.0	59.5	4.01	8.96	72.87
LSD at 10% Level	23	0.7	1.8	0.16	0.54	0.68
Model R-Square	0.76	0.79	0.73	0.71	0.59	0.64
C.V.	7.58	3.5	2.15	2.90	4.36	0.69

Bolded yields are statistically non-significant (p = 10 level) from the highest yielding test entry.

Planted: April 9, 2026
Harvested: August 25, 2026
Seeding Rate: 34,000 seeds per acre in 36-inch rows
Soil Type: Greenville Sandy Clay Loam
Previous Crop: Soybeans
Soil Test: 61.0 P, 252.0 K, 6.20 pH
Fertilization:
Preplant: 75.0 lb N, 110.0 lb P, 180.0 lb/acre K
Sidedress: 200.0 lb N, 30.0 lb/acre S
Tillage: Conventional
Herbicides: Warrant, Atrazine, Round-up
Fungicides: -
Irrigation: 7.95
Insecticides: -

Test conducted by M. Cofield, W. Mosteller, D. Dunn, W. Jones, and D. Pearce

Griffin, Georgia:
Corn Grain Performance, 2026

Corn Grain Irrigated Results

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acr	Grain Moisture %	Test Weight lbs/bu	Oil%	Protein %	Starch %	Actual Population plants/acr
Revere	1839 TC	118	**233**	17.4	56.7	3.92	8.79	72.19	25,543
INTEGRA	6915 VT2P	119	**230**	17.5	58.0	3.99	8.56	72.55	24,976
Innvictis	A1993T	119	**230**	17.1	57.8	4.06	8.42	72.50	25,321
Croplan	CP5911	119	**224**	17.1	57.7	4.03	8.50	72.69	24,281
Gateway Seed	3919TRE	119	**222**	16.7	58.0	3.94	8.69	72.24	24,869
Pioneer	P15395PWE	115	**218**	14.1	59.0	3.90	8.81	73.25	24,672
BH Genetics	BH 8939TRE	119	**218**	15.7	58.8	4.20	8.12	73.12	24,991
Dyna-Gro	D60TC45	120	216	16.1	58.2	3.87	8.47	72.73	23,942
INTEGRA	CX611116	116	216	14.9	60.1	3.66	8.92	72.66	24,192
AgraTech	707TRE	116	214	16.2	58.6	3.83	9.28	72.24	25,701
INTEGRA	CX611117	117	212	15.2	56.2	3.72	8.96	72.34	24,944
SEEDWAY	SW 2055PE	120	212	16.0	60.8	4.13	8.64	73.23	24,347
Innvictis	A1776VT2P	117	212	17.0	57.5	3.81	8.94	72.21	24,310
BH Genetics	BH 8727TRE	117	212	15.7	59.6	4.04	9.14	72.23	25,016
Dyna-Gro	D58TC94	118	211	16.2	60.5	3.78	9.08	72.48	25,427
Revere	113-T73	113	210	14.5	60.1	3.99	8.79	72.93	24,764
Innvictis	A1792T	117	210	15.9	60.2	3.82	8.82	72.43	24,500
Innvictis	A1414T	114	208	14.7	59.6	4.06	8.70	72.77	24,326
Gateway Seed	4914TRE	114	207	14.1	59.9	3.85	8.69	72.87	25,633
Croplan	CP5893 TRE	118	206	16.2	60.4	3.78	9.42	72.31	24,728
Innvictis	A1254T	112	205	14.5	54.7	3.62	9.20	71.94	24,256
INTEGRA	6577 TRE	115	205	14.8	61.0	4.01	8.45	73.14	25,116
INTEGRA	CX501117	117	204	16.0	57.5	3.71	8.67	72.30	24,277
Pioneer	P18216PWE	118	204	15.1	59.7	3.83	8.69	73.04	23,225
Southeastern	SE15-63TRE	115	204	14.7	58.5	3.83	8.74	72.82	24,357
AgraTech	69RR	114	203	14.8	59.0	3.94	9.10	72.65	24,076
Southeastern	SE18-60TRE	118	203	15.8	60.2	3.88	8.51	72.68	24,885
Southeastern	SE17-76TRE	117	202	15.9	56.7	3.72	9.18	72.74	24,641
Dyna-Gro	D55VC86	115	202	14.9	59.5	4.03	9.05	72.68	24,610
DEKALB	DKC70-45	120	199	17.0	60.6	3.88	9.16	72.53	22,940
AgraTech	807TRE	118	198	16.7	58.2	4.03	8.21	72.84	24,217
INTEGRA	6641 SS	116	198	15.4	58.6	3.84	9.41	72.41	24,355
DEKALB	DKC68-35	118	197	15.1	60.8	3.79	8.87	72.76	24,714
INTEGRA	CX641120	120	195	15.4	61.1	4.30	8.24	73.41	24,251
Dyna-Gro	D52TC66	112	195	13.9	59.1	3.90	8.99	72.80	24,918
DEKALB	DKC119-09	119	193	16.3	59.6	4.11	8.54	72.75	25,004
Croplan	CP6640 RR	113	192	16.7	58.1	3.78	9.14	72.02	24,213
SEEDWAY	SW 1880TR	119	186	16.1	57.9	4.05	8.17	72.80	24,129
INTEGRA	6493 VT2P	114	186	14.7	59.6	4.15	8.31	72.67	24,260

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acr	Grain Moisture %	Test Weight lbs/bu	Oil%	Protein %	Starch %	Actual Population plants/acr
Croplan	CP5893 RR	118	183	15.4	58.7	3.85	9.28	72.30	24,096
SEEDWAY	SW 1676PE	116	181	14.5	59.7	3.97	8.68	73.29	23,114
Dyna-Gro	D54TC77	114	181	14.4	60.0	3.95	8.23	73.06	23,465
INTEGRA	6864R	118	181	15.7	58.5	3.94	8.77	72.45	24,191
Croplan	CP5796 RR	117	180	15.5	55.0	3.46	8.71	71.11	24,533
INTEGRA	6410R	114	179	14.3	58.4	4.05	8.36	72.39	23,387
DEKALB	DKC115-55	115	175	14.7	60.3	4.10	8.64	73.17	24,089
Croplan	CP5777	117	174	16.2	58.9	4.06	9.04	72.30	24,081
INTEGRA	CX361118	118	137	18.3	56.8	3.92	9.22	72.15	21,254

Averages and Statistics

Statistic	Grain Yield	Grain Moisture	Test Weight	Oil%	Protein%	Starch%	Actual Population
Mean	201	15.7	58.9	3.92	8.78	72.62	24,399
LSD at 10% Level	16	0.9	1.7	0.19	0.65	0.59	1,694
Model R-Square	0.92	0.85	0.81	0.76	0.64	0.72	0.63
C.V.	9.99	3.97	1.70	3.66	5.45	0.60	5.11

Bolded yields are statistically non-significant (p = 10 level) from the highest yielding test entry.

Planted: March 31, 2026
Harvested: September 9, 2026
Seeding Rate: 34,000 seeds per acre in 30-inch rows
Soil Type: Cecil Sandy Loam
Previous Crop: Wheat
Soil Test: 43.39 P, 329.0 K, 6.05 pH
Fertilization:
Preplant: 100 lb N, 200 lb P, 300 lb/acre K
Sidedress: 141 lb/acre N
Tillage: Conventional
Herbicides: Atrazine, Warrant, Roundup
Fungicides: -
Insecticides: -
Applied 1,000 lb/acre lime

Test conducted by J. Arrington, B. Byous, S. Brannon, S. Edwards

Griffin, Georgia:
Corn Grain Performance, 2026

Corn Grain Dryland Results

Company/ Brand Name	*Hybrid Name*	*Relative Maturity Days*	*Grain Yield bu/acr*	*Grain Moisture %*	*Test Weight lbs/bu*	*Oil%*	*Protein %*	*Starch %*	*Actual Population plants/acr*
INTEGRA	CX641120	120	**266**	16.0	59.7	3.97	8.83	72.93	22,602
Innvictis	A1993T	119	**260**	16.3	56.0	3.90	9.33	72.08	24,181
SEEDWAY	SW 2055PE	120	**259**	16.0	59.9	4.23	8.99	72.92	22,287
Pioneer	P15395PWE	115	**248**	14.4	57.3	3.82	9.09	72.51	23,291
INTEGRA	6915 VT2P	119	**248**	16.5	56.9	4.07	8.70	72.55	24,222
Croplan	CP5911	119	**245**	18.3	54.6	4.20	9.39	71.93	23,051
DEKALB	DKC70-45	120	**243**	16.3	57.3	3.73	9.34	72.08	24,123
INTEGRA	CX611117	117	**241**	15.3	55.5	3.97	9.00	72.50	23,861
Revere	1839 TC	118	**239**	16.7	55.0	3.83	9.03	72.15	24,004
INTEGRA	6493 VT2P	114	**238**	15.2	59.4	4.10	9.21	72.43	25,240
Southeastern	SE17-76TRE	117	**237**	15.1	57.1	3.85	8.99	72.85	23,566
Innvictis	A1776VT2P	117	**237**	16.3	56.5	3.83	8.92	72.47	23,050
Innvictis	A1414T	114	**236**	15.4	58.3	4.03	9.12	72.40	24,559
Gateway Seed	3919TRE	119	234	17.4	56.7	4.02	8.93	72.60	23,941
Croplan	CP5893 TRE	118	231	16.7	58.2	3.73	8.95	72.20	24,044
Dyna-Gro	D58TC94	118	230	16.2	58.2	4.13	9.58	72.03	24,804
Dyna-Gro	D52TC66	112	223	14.5	58.7	3.80	8.79	72.87	24,025
Dyna-Gro	D54TC77	114	219	15.0	59.9	3.87	8.99	72.77	23,554
Dyna-Gro	D60TC45	120	219	17.3	56.5	4.03	8.69	72.80	23,899
SEEDWAY	SW 1880TR	119	218	17.2	55.8	4.03	8.53	72.83	23,158
INTEGRA	CX501117	117	218	16.8	55.8	3.87	9.11	72.40	22,224
Croplan	CP5777	117	217	17.6	57.4	4.13	9.45	72.23	24,084
INTEGRA	6864R	118	217	16.5	56.5	3.80	9.22	72.13	24,138
Southeastern	SE18-60TRE	118	217	16.1	59.9	3.83	8.74	73.07	23,884
Dyna-Gro	D55VC86	115	216	15.2	58.1	3.97	9.10	72.53	24,048
SEEDWAY	SW 1676PE	116	216	15.0	58.6	4.00	9.32	73.00	23,417
Revere	113-T73	113	215	14.9	57.8	3.90	8.99	72.83	22,871
BH Genetics	BH 8939TRE	119	214	17.0	56.1	3.88	8.37	72.97	23,805
INTEGRA	CX611116	116	214	15.4	58.5	3.73	8.69	72.87	23,818
Gateway Seed	4914TRE	114	212	14.2	56.6	3.83	9.38	72.57	23,427
AgraTech	69RR	114	211	14.7	58.5	3.67	9.08	72.70	22,640
INTEGRA	6641 SS	116	210	15.7	57.3	3.83	8.78	72.93	23,472
Pioneer	P18216PWE	118	207	14.8	57.5	3.78	8.74	73.13	21,715
Croplan	CP6640 RR	113	206	18.0	56.4	3.70	8.85	72.20	24,352
BH Genetics	BH 8727TRE	117	205	15.5	58.9	4.03	9.40	72.37	23,795
AgraTech	807TRE	118	205	18.3	56.2	4.07	8.86	72.13	23,035
INTEGRA	6577 TRE	115	202	15.0	59.0	4.03	8.72	73.23	24,328
DEKALB	DKC68-35	118	200	15.3	58.6	3.67	9.05	72.63	23,708
Innvictis	A1792T	117	200	16.7	58.8	3.97	8.76	72.93	23,772

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acr	Grain Moisture %	Test Weight lbs/bu	Oil%	Protein %	Starch %	Actual Population plants/acr
DEKALB	DKC119-09	119	197	15.6	57.5	4.00	7.86	72.93	23,162
Croplan	CP5796 RR	117	197	16.5	53.7	3.60	8.53	71.50	23,874
Southeastern	SE15-63TRE	115	196	14.9	58.5	3.77	8.90	72.80	23,679
Innvictis	A1254T	112	192	14.4	54.7	3.77	8.20	72.93	22,535
DEKALB	DKC115-55	115	191	15.2	57.8	4.17	8.96	72.30	24,492
AgraTech	707TRE	116	190	15.5	59.0	4.03	9.05	72.57	22,487
Croplan	CP5893 RR	118	185	16.2	57.1	4.03	9.64	72.20	22,812
INTEGRA	6410R	114	168	14.8	55.8	3.90	9.15	71.67	21,403
INTEGRA	CX361118	118	139	19.1	55.1	3.97	9.32	72.17	21,299

Averages and Statistics

Statistic	Grain Yield	Grain Moisture	Test Weight	Oil%	Protein%	Starch%	Actual Population
Mean	217	16.0	57.4	3.92	8.97	72.54	23,496
LSD at 10% Level	30	0.90	1.8	0.27	0.61	0.58	1,444
Model R-Square	0.73	0.88	0.79	0.59	0.65	0.68	0.62
C.V.	10.14	4.02	2.28	4.94	4.99	0.57	4.51

Bolded yields are statistically non-significant (p = 10 level) from the highest yielding test entry.

Planted: March 30, 2026
Harvested: September 1, 2026
Seeding Rate: 34,000 seeds per acre in 30-inch rows
Soil Type: Cecil Sandy Loam
Previous Crop: Fallow
Soil Test: 40.83 P, 263.0 K, 5.77 pH
Fertilization:
Preplant: 100 lb N, 200 lb P, 300 lb/acre K
Sidedress: 141 lb/acre N
Tillage: Conventional
Herbicides: Atrazine, Warrant, Roundup
Fungicides: -
Insecticides: -
Applied 1,000lb/acre lime

Test conducted by J. Arrington, B. Byous, S. Brannon, S. Edwards

Rome, Georgia:
Corn Grain Performance, 2026

Corn Grain Irrigated Results

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acr	Grain Moisture %	Test Weight lbs/bu	Oil%	Protein %	Starch %	Actual Population plants/acr

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acr	Grain Moisture %	Test Weight lbs/bu	Oil%	Protein %	Starch %	Actual Population plants/acr

Averages and Statistics

Statistic	Grain Yield	Grain Moisture	Test Weight	Oil%	Protein%	Starch%	Actual Population
Mean							
LSD at 10% Level							
Model R-Square							
C.V.							

Bolded yields are statistically non-significant (p = 10 level) from the highest yielding test entry.

Planted:
Harvested:
Seeding Rate: 34,000 seeds per acre in 30-inch rows
Soil Type:
Previous Crop:
Soil Test:
Fertilization:
Tillage:
Herbicides:

Corn Grain Dryland Results

Company/ Brand Name	***Hybrid Name***	***Relative Maturity Days***	***Grain Yield bu/acr***	***Grain Moisture %***	***Test Weight lbs/bu***	***Oil%***	***Protein %***	***Starch %***	***Actual Population plants/acr***

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Grain Yield bu/acr	Grain Moisture %	Test Weight lbs/bu	Oil%	Protein %	Starch %	Actual Population plants/acr

Averages and Statistics

Statistic	Grain Yield	Grain Moisture	Test Weight	Oil%	Protein%	Starch%	Actual Population
Mean							
LSD at 10% Level							
Model R-Square							
C.V.							

Bolded yields are statistically non-significant (p = 10 level) from the highest yielding test entry.

Planted:
Harvested:
Seeding Rate: 24,000 seeds per acre in 30-inch rows
Soil Type:
Previous Crop:
Soil Test:
Fertilization:
Tillage:
Herbicides:
Test conducted by J. Arrington, B. Byous, M. Tucker, T. Turnquist

Statewide Harvest Moisture, Georgia, 2026

Statewide Corn Harvest Moisture, Percentage

Company/Brand Name	Hybrid Name	RM	BT	Irrigated				Dryland			Irrigated Average	Dryland Average	Statewide Average[1]
				Tifton	Plains	Griffin	Midville	Blairsville	Tifton	Griffin			
Revere	113-T73	113	Yes	18.1	14.3	14.5	16.2		18.5	14.9			
Revere	1839 TC	118	Yes	20.0	14.9	17.4	20.0		20.6	16.7			
Gateway Seed	3919TRE	119	Yes	20.6	15.2	16.7	20.7		19.3	17.4			
Gateway Seed	4914TRE	114	Yes	18.5	14.4	14.1	17.1		18.2	14.2			
INTEGRA	6410R	114	No	18.5	13.9	14.3	19.2		19.5	14.8			
INTEGRA	6493 VT2P	114	Yes	17.6	14.0	14.7	18.2		18.2	15.2			
INTEGRA	6577 TRE	115	Yes	17.8	14.3	14.8	17.5		19.0	15.0			
INTEGRA	6641 SS	116	Yes	19.7	15.3	15.4	18.9		19.6	15.7			
INTEGRA	6864R	118	No	19.4	15.1	15.7	20.0		21.2	16.5			
INTEGRA	6915 VT2P	119	Yes	20.2	14.4	17.5	20.8		21.9	16.5			
AgraTech	69RR	114	No	18.3	14.6	14.8	17.6		19.1	14.7			
AgraTech	707TRE	116	Yes	19.1	15.6	16.2	18.9		20.3	15.5			
AgraTech	807TRE	118	Yes	19.8	15.5	16.7	20.4		20.9	18.3			
Innvictis	A1254T	112	Yes	17.6	13.9	14.5	16.8		17.9	14.4			
Innvictis	A1414T	114	Yes	17.8	14.8	14.7	17.5		19.8	15.4			
Innvictis	A1776VT2P	117	Yes	20.3	16.1	17.0	19.3		20.4	16.3			
Innvictis	A1792T	117	Yes	19.2	15.3	15.9	19.5		21.8	16.7			
Innvictis	A1993T	119	Yes	20.9	14.7	17.1	21.0		22.7	16.3			
BH Genetics	BH 8727TRE	117	Yes	19.4	15.5	15.7	18.6		21.4	15.5			
BH Genetics	BH 8939TRE	119	Yes	20.6	14.7	15.7	21.3		21.7	17.0			
Croplan	CP5777 SSPRO	117	Yes	20.6	16.3	16.2	19.1		21.8	17.6			
Croplan	CP5796 RR	117	No	20.3	16.4	15.5	20.8		21.2	16.5			
Croplan	CP5893 RR	118	No	19.4	15.2	15.4	19.0		21.2	16.2			
Croplan	CP5893 TRE	118	No	19.1	15.1	16.2	19.4		20.9	16.7			
Croplan	CP5911 VT2P	119	Yes	19.9	14.4	17.1	21.1		20.1	18.3			
Croplan	CP6640 RR	113	No	20.8	16.3	16.7	21.0		22.4	18.0			
INTEGRA	CX361118 GT	118	No	20.9	16.1	18.3	20.4		22.0	19.1			
INTEGRA	CX501117 VT2P	117	Yes	20.0	15.6	16.0	20.6		20.6	16.8			

Company/Brand Name	Hybrid Name	RM	BT	Irrigated					Dryland		Irrigated Average	Dryland Average	Statewide Average[1]
INTEGRA	CX611116 LRE	116	No	19.0	14.9	14.9	17.6		17.8	15.4			
INTEGRA	CX611117 PWE	117	Yes	20.2	15.0	15.2	19.8		18.6	15.3			
INTEGRA	CX641120 PWE	120	Yes	20.3	15.0	15.4	20.6		19.4	16.0			
Dyna-Gro	D52TC66	112	Yes	16.7	13.8	13.9	16.0		16.8	14.5			
Dyna-Gro	D54TC77	114	Yes	18.1	14.2	14.4	17.6		19.0	15.0			
Dyna-Gro	D55VC86	115	Yes	18.7	14.6	14.9	17.8		19.6	15.2			
Dyna-Gro	D58TC94	118	Yes	19.2	15.4	16.2	20.3		21.4	16.2			
Dyna-Gro	D60TC45	120	Yes	21.6	14.6	16.1	19.6		20.2	17.3			
DEKALB	DKC115-55 TRE	115	Yes	18.5	14.1	14.7	18.0		17.6	15.2			
DEKALB	DKC119-09 TRE	119	Yes	21.4	15.9	16.3	20.4		21.8	15.6			
DEKALB	DKC68-35 VT2P	118	Yes	18.4	15.2	15.1	18.2		19.7	15.3			
DEKALB	DKC70-45 VT2P	120	Yes	21.4	16.7	17.0	20.5		20.8	16.3			
Pioneer	P15395PWE	115	Yes	17.2	14.6	14.1	16.7		16.5	14.4			
Pioneer	P18216PWE	118	Yes	18.3	14.3	15.1	18.2		17.7	14.8			
Southeastern	SE15-63TRE	115	Yes	18.3	15.0	14.7	17.1		19.3	14.9			
Southeastern	SE17-76TRE	117	Yes	19.6	14.6	15.9	18.0		19.5	15.1			
Southeastern	SE18-60TRE	118	Yes	18.7	14.4	15.8	18.6		18.0	16.1			
SEEDWAY	SW 1676PE	116	Yes	19.6	15.2	14.5	18.5		19.2	15.0			
SEEDWAY	SW 1880TR	119	Yes	21.0	15.2	16.1	20.9		21.0	17.2			
SEEDWAY	SW 2055PE	120	Yes	20.5	15.5	16.0	19.4		19.8	16.0			

Averages and Statistics

Statistic	Irrigated				Dryland			Irrigated Average	Dryland Average	Statewide Average
	Tifton	Plains	Griffin	Midville	Blairsville	Tifton	Griffin			
Mean	19.4	15	15.7	19.1		19.9	16.0			
LSD at 10% Level	0.9	0.7	0.9	1.1		1.6	0.9			
Model R-Square	0.88	0.79	0.85	0.89		0.80	0.88			
C.V.	3.57	3.5	3.97	4.27		5.92	4.02			
Average Yield (bushels/acre)	249	228	201	269		105	217			
Planting Date	1-Apr	9-Apr	31-Mar	2-Apr		31-Mar	30-Mar	-	-	-
Estimated Physiological Maturity[0]	17-Jul	25-Jul	28-Jul	19-Jul		16-Jul	27-Jul	-	-	-

Statistic	Irrigated				Dryland			Irrigated Average	Dryland Average	Statewide Average
	Tifton	Plains	Griffin	Midville	Blairsville	Tifton	Griffin			
Harvest Date	17-Aug	25-Aug	4-Sep	19-Aug		14-Aug	9-Sep	-	-	-
Days from Estimated Black Layer to Harvest	31	31	38	31		29	44	-	-	-

[0] Estimated physiological maturity (black layer) for RM 115 hybrid (2,650 GDUs); Temperatures between 50° and 86° F

Spring Planted Corn Silage

Statewide Yield Summary:
Spring-planted Corn Silage Performance, Georgia 2024-2026

Company or Brand Name	Hybrid Name	Relative Maturity Days	2026			2025			2024		
			Griffin	Plains		Griffin	Plains		Griffin	Plains	
			Forage Yield[1]		Milk/Ac[2]	Forage Yield[1]		Milk/Ac[2]	Forage Yield[1]		Milk/Ac[2]
ADVANTA	ADV C1142	114	11.61	10.44	31,751	-	-	-	-	-	-
ADVANTA	ADV C1167	116	10.15	9.97	36,446	-	-	-	-	-	-
ADVANTA	ADV C1173	117	8.93	9.99	32,723	-	-	-	-	-	-
ADVANTA	ADV XC26121	116	10.09	8.90	26,595	-	-	-	-	-	-
AgraTech	807TRE	118	10.82	11.80	37,684	10.74	**12.64**	42,017	-	-	-
BH Genetics	BH 8344PCE	113	11.88	11.66	37,796	-	-	-	-	-	-
BH Genetics	BH 8420VIP3220	114	9.18	11.04	31,932	-	-	-	-	-	-
BH Genetics	BH 8610PCE	116	11.84	12.66	42,620	-	-	-	-	-	-
BH Genetics	BH 8704VIP3220	117	9.60	10.04	31,835	-	-	-	-	-	-
BH Genetics	BH 8727TRE	117	**14.12**	11.89	41,718	10.07	**13.21**	44,066	-	-	-
BH Genetics	BH 8787PCE	117	11.30	**13.03**	**45,922**	-	-	-	-	-	-
BH Genetics	X26002R PCE	117	13.00	11.66	39,576	-	-	-	-	-	-
BH Genetics	X26003R PCE	118	11.91	**14.42**	**48,041**	-	-	-	-	-	-
BH Genetics	X26006RC PCE	115	10.88	12.76	42,155	-	-	-	-	-	-
Croplan	CP5320 SSPRO	113	11.11	12.51	42,564	12.26	**12.75**	40,405	11.82	**11.20**	**36,669**
Croplan	CP5777 SSPRO	117	11.20	12.22	37,967	-	-	-	-	-	-
Croplan	CP5893 TRE	118	11.12	11.05	37,537	12.37	12.10	38,872	12.79	10.54	36,267
Croplan	CP5900S VT2P	119	12.10	9.23	29,217	11.85	**13.16**	43,030	**14.13**	10.59	34,002
Croplan	CP5911 VT2P	119	12.99	11.99	41,890	10.96	12.35	41,715	-	-	-
DEKALB	DKC115-55 TRE	115	**14.80**	11.65	37,950	-	-	-	-	-	-
DEKALB	DKC119-09 TRE	119	12.87	10.82	34,166	-	-	-	-	-	-

Company or Brand Name	Hybrid Name	Relative Maturity Days	2026			2025			2024		
			Griffin	Plains		Griffin	Plains		Griffin	Plains	
			Forage Yield[1]		Milk/Ac[2]	Forage Yield[1]		Milk/Ac[2]	Forage Yield[1]		Milk/Ac[2]
DEKALB	DKC68-35 VT2P	118	12.04	11.64	39,224	10.85	12.12	40,410	12.57	**11.63**	**38,018**
DEKALB	DKC70-45 VT2P	120	12.49	12.15	38,204	12.09	11.57	36,523	**14.02**	10.71	35,650
Dyna-Gro	D54TC77	114	11.46	11.96	40,837	-	-	-	-	-	-
Dyna-Gro	D55VC86	115	10.75	10.93	38,975	-	-	-	-	-	-
Dyna-Gro	D60TC45	120	12.04	10.75	32,490	10.45	**13.06**	42,337	-	-	-
Gateway Seed	3919TRE	119	13.02	11.19	27,961	11.50	**13.37**	42,726	-	-	-
Innvictis	A1776VT2P	117	12.99	10.46	33,930	-	-	-	-	-	-
Innvictis	A1792T	117	11.58	11.63	38,835	10.43	**13.44**	43,478	12.33	**10.81**	**37,437**
Innvictis	A1993T	119	11.71	11.16	36,795	10.88	**13.32**	43,988	**13.67**	**11.62**	**39,423**
INTEGRA	6410R	114	9.31	9.72	33,176	-	-	-	-	-	-
INTEGRA	6493 VT2P	114	11.68	11.69	40,159	10.03	11.99	39,126	11.67	10.51	35,809
INTEGRA	6641 SS	116	11.95	11.57	38,990	11.47	11.53	36,687	11.48	10.50	34,275
INTEGRA	6709 VT2P	117	12.18	11.42	39,089	11.00	12.19	38,916	11.95	10.48	33,736
INTEGRA	6864R	118	10.07	10.79	34,807	14.12	11.40	36,950	11.45	10.24	35,027
INTEGRA	6891 3110	118	11.94	12.84	42,311	9.53	11.04	33,271	12.33	10.73	33,604
INTEGRA	6915 VT2P	119	11.68	11.24	38,679	11.76	12.48	41,460	12.71	**11.07**	**37,042**
INTEGRA	CX361118 GT	118	9.80	9.37	22,427	-	-	-	-	-	-
INTEGRA	CX501117 VT2P	117	11.67	12.32	41,775	-	-	-	-	-	-
INTEGRA	CX611116 LRE	116	12.70	12.25	**43,414**	-	-	-	-	-	-
INTEGRA	CX611117 PWE	117	12.80	12.02	41,829	-	-	-	-	-	-
INTEGRA	CX641120 PWE	120	12.64	**13.25**	**47,335**	-	-	-	-	-	-
Pioneer	P18986PWE	118	11.16	**13.25**	**45,976**	-	-	-	-	-	-
Revere	113-T73	113	10.59	11.87	38,420	-	-	-	-	-	-
Revere	1839 TC	118	10.29	11.47	37,745	12.02	**13.04**	41,239	-	-	-
SEEDWAY	SW 1676PE	116	13.07	10.04	34,473	-	-	-	-	-	-
SEEDWAY	SW 1880TR	119	12.67	10.83	34,608	11.58	12.11	40,890	-	-	-
SEEDWAY	SW 2055PE	120	11.72	12.21	40,527	-	-	-	-	-	-

Averages and Statistics

Statistic	2026			2025			2024		
	Griffin	Plains		Griffin	Plains		Griffin	Plains	
	Forage Yield[1]		Milk/Ac[2]	Forage Yield[1]		Milk/Ac[2]	Forage Yield[1]		Milk/Ac[2]
Average	11.61	11.45	37,731	11.32	12.24	39,804	12.15	10.69	35,797
LSD at 10% Level	1.38	1.41	5,100	NS	1.24	4,796	1.18	0.87	2,914
Model R-Squared	0.95	0.93	0.97	0.75	0.69	0.86	0.80	0.91	0.51
C.V.	8.77	9.07	8.05	10.94	7.44	7.05	9.15	7.69	7.70

[1]Forage yield in Dry Tons per Acre (dry tons/acre)

[2]Milk/Ac in Pounds per Acre (lbs./acre)

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry.

“NS” indicates differences are statistically non-significant (p = 0.10 probability level)

Descriptive statistics from 2025 and 2024 reflect whole tests and are not restricted to hybrids that returned for 2026.

Griffin, Georgia:
Evaluation of Corn Hybrids for Silage, 2026, Irrigated

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Dry Forage Yield[1]	Green Forage Yield[1]	Moisture	Population
			Tons per Acre		Percent	
DEKALB	DKC115-55	115	**14.80**	**42.29**	68.7	**35,090**
BH Genetics	BH 8727TRE	117	**14.12**	**40.35**	67.1	**34,606**
SEEDWAY	SW 1676PE	116	13.07	37.35	**71.7**	33,638
Gateway	3919TRE	119	13.02	37.19	65.1	**35,090**
BH Genetics	X26002R PCE	117	13.00	37.14	67.7	33,638
Innvictis	A1776VT2P	117	12.99	37.12	66.2	**35,090**
Croplan	CP5911 VT2P	119	12.99	37.11	64.2	**34,364**
DEKALB	DKC119-09	119	12.87	36.78	65.3	33,880
INTEGRA	CX611117	117	12.80	36.57	69.4	33,396
INTEGRA	CX611116	116	12.70	36.29	63.6	32,428
SEEDWAY	SW 1880TR	119	12.67	36.20	65.5	32,912
INTEGRA	CX641120	120	12.64	36.11	68.4	33,638
DEKALB	DKC70-45	120	12.49	35.69	67.1	**34,606**
INTEGRA	6709 VT2P	117	12.18	34.80	69.0	33,396
Croplan	CP5900S	119	12.10	34.56	**69.9**	32,912
Dyna-Gro	D60TC45	120	12.04	34.39	65.6	**34,364**
DEKALB	DKC68-35	118	12.04	34.39	66.5	**35,090**
INTEGRA	6641 SS	116	11.95	34.16	67.6	**34,606**
INTEGRA	6891 3110	118	11.94	34.12	69.5	**34,364**
BH Genetics	X26003R PCE	118	11.91	34.02	65.7	32,912
BH Genetics	BH 8344PCE	113	11.88	33.93	66.1	33,638
BH Genetics	BH 8610PCE	116	11.84	33.83	**73.0**	33,396
SEEDWAY	SW 2055PE	120	11.72	33.48	67.1	33,880
Innvictis	A1993T	119	11.71	33.47	67.5	**35,332**
INTEGRA	6493 VT2P	114	11.68	33.38	66.1	33,154
INTEGRA	6915 VT2P	119	11.68	33.37	65.0	**34,122**
INTEGRA	CX501117	117	11.67	33.34	68.8	32,912
ADVANTA	ADV C1142	114	11.61	33.17	64.6	**34,364**
Innvictis	A1792T	117	11.58	33.08	66.7	**34,606**
Dyna-Gro	D54TC77	114	11.46	32.75	65.9	**34,364**
BH Genetics	BH 8787PCE	117	11.30	32.29	**70.1**	33,638
Croplan	CP5777	117	11.20	32.00	**69.8**	**34,364**
Pioneer	P18986PWE	118	11.16	31.90	68.6	**34,122**
Croplan	CP5893 TRE	118	11.12	31.77	65.2	33,396
Croplan	CP5320	113	11.11	31.73	67.9	31,944
BH Genetics	X26006RC	115	10.88	31.09	67.0	30,008
AgraTech	807TRE	118	10.82	30.93	65.9	**35,332**
Dyna-Gro	D55VC86	115	10.75	30.72	**71.4**	**34,364**
Revere	113-T73	113	10.59	30.25	68.4	**35,332**

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Dry Forage Yield[1]	Green Forage Yield[1]	Moisture	Population
Revere	1839 TC	118	10.29	29.39	68.2	**35,090**
ADVANTA	ADV C1167	116	10.15	29.01	66.6	**36,058**
ADVANTA	ADV XC26121	116	10.09	28.83	68.8	**34,606**
INTEGRA	6864R	118	10.07	28.78	65.9	33,638
INTEGRA	CX361118 GT	118	9.80	27.99	**71.4**	31,702
BH Genetics	BH	117	9.60	27.42	65.0	33,154
INTEGRA	6410R	114	9.31	26.59	66.8	33,638
BH Genetics	BH	114	9.18	26.22	69.5	33,154
ADVANTA	ADV C1173	117	8.93	25.51	67.5	**34,364**

Averages and Statistics

Statistic	Dry Forage Yield[1]	Green Forage Yield[1]	Moisture	Population
Mean	11.61	33.18	67.5	33,910
LSD at 10%	1.38	3.95	3.2	2,047
Model R-Square	0.95	0.95	0.73	0.84
C.V.	8.77	8.77	2.85	4.33

[1] Measured in Tons per Acre (tons/acre) and Green Yields are standardized to 65% moisture

Bolded Yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry
"NS" indicates differences are statistically non-significant (p = 0.10 probability level)
Planted: March 31, 2026
Harvested: July 28, 2026
Accumulated 2,655 GDD units where temperature was between 50˚ F and 86˚ F
Seeding Rate: 36,000 seeds per acre in 30-inch rows
Soil Type: Cecil Sandy Loam
Previous Crop: Wheat
Soil Test: 37.28 lbs. P, 322 lbs. K, pH 6.22
Fertilization:
Preplant: 100 lbs. N, 0 lbs. S, 200 lbs. P, 300 lbs./acre K
Sidedress: 250 lbs. N, 0 lbs./acre S
Tillage: Conventional
Herbicides: Atrazine, Warrant, Roundup

Test conducted by J. Arrington, Brett Byous, S. Brannon, and S. Edwards

Note: Plant populations can exceed the intended target due to "doubles" on the planter plate resulting from smaller seed size and can be lower due to skips caused by larger size, or non-germinating seeds. The plant populations are reported for use in interpreting the yield results and are not an inherent feature of the hybrid. Proper planter calibration for a particular seed size minimizes both doubles and skips but is not feasible in these tests due to range of seed sizes encountered.

Plains, Georgia:

Evaluation of Corn Hybrids for Silage, 2026, Irrigated

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Dry Forage	Green Forage Yield	Moisture	Lodged	Population
			Tons per Acre		Percentage		
BH Genetics	X26003R PCE	118	**14.42**	**41.20**	51.9	1	35,018
INTEGRA	CX641120 PWE	120	**13.25**	**37.86**	50.8	0	34,164
Pioneer	P18986PWE	118	**13.25**	**37.86**	52.5	2	33,025
BH Genetics	BH 8787PCE	117	**13.03**	**37.24**	49.5	2	33,879
INTEGRA	6891 3110	118	**12.84**	36.68	53.7	0	33,879
BH Genetics	X26006RC PCE	115	**12.76**	36.46	46.3	2	33,310
BH Genetics	BH 8610PCE	116	12.66	36.17	**55.7**	1	34,164
Croplan	CP5320 SSPRO	113	12.51	35.75	50.8	3	33,025
INTEGRA	CX501117 VT2P	117	12.32	35.20	52.7	1	34,449
INTEGRA	CX611116 LRE	116	12.25	35.00	48.9	0	32,171
Croplan	CP5777 SSPRO	117	12.22	34.92	**55.8**	0	31,032
SEEDWAY	SW 2055PE	120	12.21	34.89	51.4	0	32,456
DEKALB	DKC70-45 VT2P	120	12.15	34.71	50.7	1	34,733
INTEGRA	CX611117 PWE	117	12.02	34.36	53.3	4	33,879
Croplan	CP5911 VT2P	119	11.99	34.26	48.9	0	33,310
Dyna-Gro	D54TC77	114	11.96	34.18	49.3	1	34,164
BH Genetics	BH 8727TRE	117	11.89	33.97	53.6	0	33,025
Revere	113-T73	113	11.87	33.91	46.9	4	31,886
AgraTech	807TRE	118	11.80	33.71	51.6	1	32,456
INTEGRA	6493 VT2P	114	11.69	33.41	48.5	0	32,171
BH Genetics	X26002R PCE	117	11.66	33.32	53.7	1	33,879
BH Genetics	BH 8344PCE	113	11.66	33.32	50.3	2	31,886
DEKALB	DKC115-55 TRE	115	11.65	33.28	48.2	0	34,733
DEKALB	DKC68-35 VT2P	118	11.64	33.25	49.3	0	34,449
Innvictis	A1792T	117	11.63	33.23	51.6	0	35,588
INTEGRA	6641 SS	116	11.57	33.07	52.7	1	33,879
Revere	1839 TC	118	11.47	32.77	49.5	1	30,463
INTEGRA	6709 VT2P	117	11.42	32.64	54.5	3	32,456

Company/ Brand Name	Hybrid Name	Relative Maturity Days	Dry Forage	Green Forage Yield	Moisture	Lodged	Population
INTEGRA	6915 VT2P	118	11.24	32.10	51.6	0	33,310
Gateway Seed	3919TRE	119	11.19	31.97	49.3	2	34,164
Innvictis	A1993T	119	11.16	31.89	47.7	0	31,886
Croplan	CP5893 TRE	118	11.05	31.58	51.9	0	36,442
BH Genetics	BH 8420VIP3220	114	11.04	31.54	51.7	2	32,456
Dyna-Gro	D55VC86	115	10.93	31.22	50.9	2	31,886
SEEDWAY	SW 1880TR	119	10.83	30.94	50.0	0	32,171
DEKALB	DKC119-09 TRE	119	10.82	30.91	52.1	0	30,463
INTEGRA	6864R	118	10.79	30.82	51.1	0	34,164
Dyna-Gro	D60TC45	120	10.75	30.71	50.7	0	31,317
Innvictis	A1776VT2P	117	10.46	29.88	54.0	2	33,310
ADVANTA	ADV C1142	114	10.44	29.82	46.0	2	33,025
BH Genetics	BH 8704VIP3220	117	10.04	28.68	47.9	3	33,879
SEEDWAY	SW 1676PE	116	10.04	28.68	54.6	0	29,466
ADVANTA	ADV C1173	117	9.99	28.54	49.7	0	31,317
ADVANTA	ADV C1167	116	9.97	28.47	49.8	2	30,178
INTEGRA	6410R	114	9.72	27.77	49.5	1	33,310
INTEGRA	CX361118 GT	118	9.37	26.76	52.5	0	29,894
Croplan	CP5900S VT2P	119	9.23	26.37	51.4	7	30,463
ADVANTA	ADV XC26121	116	8.90	25.43	49.5	4	33,595

Averages and Statistics

Statistic	Dry Forage Yield [1]	Green Forage Yield [1]	Moisture [2]	Lodged [2]	Population
Mean	11.45	32.72	50.9	1	32,921
LSD at 10%	1.41	4.03	0.8	NS	NS
Model R-Square	0.93	0.93	0.99	0.9	0.82
C.V.	9.07	9.07	1.2	155.69	8.41

[1] Measured in tons/acre and Green Forage Yields are standardized to 65% moisture

[2] Measured by percentage

[3] Measured by Number per 100 plots

Bolded Yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry
"NS" indicates differences are statistically non-significant (p = 0.10 probability level)

Planted: April 9, 2026
Harvested: July 29, 2026
Accumulated 2,790 GDD units where temperature was between 50˚ F and 86˚ F
Seeding Rate: 36,000 seeds per acre in 36-inch rows
Soil Type: Greenville Sandy Clay Loam
Previous Crop: Soybeans
Soil Test: 61.0 P, 252.0 K, 6.20 pH
Fertilization:
Preplant: 75.0 lb N, 110.0 lb P, 180.0 lb/acre K
Sidedress: 200.0 lb N, 30.0 lb/acre S
Tillage: Conventional
Herbicides: Warrant, Atrazine, Round-up
Fungicides: -
Irrigation: 7.95
Insecticides: -

Test conducted by M. Cofield, W. Mosteller, J. Cook, and D. Dunn

Note: Plant populations can exceed the intended target due to "doubles" on the planter plate resulting from smaller seed size and can be lower due to skips caused by larger size, or non-germinating seeds. The plant populations are reported for use in interpreting the yield results and are not an inherent feature of the hybrid. Proper planter calibration for a particular seed size minimizes both doubles and skips but is not feasible in these tests due to range of seed sizes encountered.

Quality Factors of Corn Hybrids for Silage
Plains, Georgia, 2026

Company/ Brand Name	Hybrid Name	Dry Yield Tons per Acre	Milk lb/ton	Milk lb/acre	TDN	ADF	aNDF	aNDFom	NE_L	NE_G	NE_M	Lignin	NDFD30	NDFD240
					Percent Dry matter				Mcal/cwt			Percent NDFom		
BH Genetics	X26003R PCE	**14.4**	3,305	**48,041**	71	20	31	30	71	54	82	3	46	62
INTEGRA	CX641120 PWE	**13.3**	**3,477**	**47,335**	73	18	29	29	74	57	87	2	51	66
Pioneer	P18986PWE	**13.3**	3,319	**45,976**	71	21	33	32	71	54	83	3	49	63
BH Genetics	BH 8787PCE	**13**	3,373	**45,922**	72	20	32	31	72	55	84	3	49	65
INTEGRA	CX611116 LRE	12.3	**3,535**	**43,414**	74	16	26	25	75	58	88	2	47	63
BH Genetics	BH 8610PCE	12.7	3,240	42,620	70	21	33	32	70	53	81	3	46	64
Croplan	CP5320 SSPRO	12.5	3,306	42,564	71	21	35	34	71	54	82	3	50	64
INTEGRA	6891 3110	**12.8**	3,267	42,311	71	22	35	34	70	53	81	3	49	63
BH Genetics	X26006RC PCE	**12.8**	3,337	42,155	71	19	30	30	72	55	83	3	47	63
Croplan	CP5911 VT2P	12	3,274	41,890	71	20	32	32	71	54	82	3	46	62
INTEGRA	CX611117 PWE	12	3,393	41,829	72	19	31	31	72	55	84	2	49	65
INTEGRA	CX501117 VT2P	12.3	3,273	41,775	71	22	35	34	70	53	81	2	49	64
BH Genetics	BH 8727TRE	11.9	3,322	41,718	71	21	33	33	71	54	82	2	48	64
Dyna-Gro	D54TC77	12	3,188	40,837	70	22	36	36	69	52	80	3	49	64
SEEDWAY	SW 2055PE	12.2	**3,505**	40,527	74	19	31	30	74	57	86	2	54	68
INTEGRA	6493 VT2P	11.7	3,358	40,159	72	19	30	30	72	55	84	3	46	62
BH Genetics	X26002R PCE	11.7	**3,398**	39,576	72	19	31	31	72	56	85	2	49	66
DEKALB	DKC68-35 VT2P	11.6	3,324	39,224	71	20	31	31	72	55	83	3	45	63
INTEGRA	6709 VT2P	11.4	3,366	39,089	72	19	31	30	72	55	83	3	47	63
INTEGRA	6641 SS	11.6	3,374	38,990	72	19	30	29	72	55	84	3	46	61
Dyna-Gro	D55VC86	10.9	3,242	38,975	70	21	33	32	70	53	81	3	45	61
Innvictis	A1792T	11.6	3,163	38,835	69	22	36	35	69	51	79	3	46	63
INTEGRA	6915 VT2P	11.2	**3,408**	38,679	72	18	30	29	73	56	85	2	48	63
Revere	113-T73	11.9	3,174	38,420	69	22	36	35	69	52	80	3	47	64
DEKALB	DKC70-45 VT2P	12.2	3,344	38,204	71	20	32	31	72	55	83	3	47	63
Croplan	CP5777 SSPRO	12.2	3,139	37,967	69	23	37	36	69	50	78	3	47	62
DEKALB	DKC115-55 TRE	11.7	3,250	37,950	70	21	35	34	70	53	81	3	48	65
BH Genetics	BH 8344PCE	11.7	**3,418**	37,796	73	19	31	30	73	56	85	3	50	64

Company/ Brand Name	Hybrid Name	Dry Yield Tons per Acre	Milk lb/ton	Milk lb/acre	TDN	ADF	aNDF	aNDFom	NE_L	NE_G	NE_M	Lignin	NDFD3	NDFD24
					Percent Dry matter				Mcal/cwt			Percent NDFom		
Revere	1839 TC	11.5	3,247	37,745	70	22	35	34	70	52	81	3	48	64
AgraTech	807TRE	11.8	3,141	37,684	69	24	39	39	68	50	78	3	49	65
Croplan	CP5893 TRE	11.1	3,183	37,537	69	22	35	34	70	51	80	3	45	62
Innvictis	A1993T	11.2	3,335	36,795	71	19	31	30	72	55	83	2	46	63
ADVANTA	ADV C1167	9.97	**3,454**	36,446	73	18	29	29	73	57	86	2	49	66
INTEGRA	6864R	10.8	3,337	34,807	71	20	32	31	72	55	83	3	47	65
SEEDWAY	SW 1880TR	10.8	3,252	34,608	70	21	33	33	70	53	81	3	46	63
SEEDWAY	SW 1676PE	10	3,356	34,473	72	20	32	31	72	55	83	3	49	64
DEKALB	DKC119-09 TRE	10.8	3,319	34,166	71	21	35	34	71	54	82	3	50	65
Innvictis	A1776VT2P	10.5	3,150	33,930	69	23	37	36	69	51	79	3	47	64
INTEGRA	6410R	9.72	3,381	33,176	72	19	30	29	72	56	84	3	46	61
ADVANTA	ADV C1173	9.99	3,254	32,723	71	23	37	36	70	53	81	3	53	67
Dyna-Gro	D60TC45	10.8	3,146	32,490	69	23	38	37	69	51	79	3	49	64
BH Genetics	BH 8420VIP3220	11	3,058	31,932	67	24	38	37	68	48	76	3	44	61
BH Genetics	BH 8704VIP3220	10	3,350	31,835	72	18	28	27	72	55	84	2	43	60
ADVANTA	ADV C1142	10.4	3,334	31,751	71	18	28	28	72	55	84	3	44	62
Croplan	CP5900S VT2P	9.23	3,336	29,217	71	20	31	30	72	54	83	3	45	61
Gateway Seed	3919TRE	11.2	3,364	27,961	72	20	32	31	72	55	83	3	49	64
ADVANTA	ADV XC26121	8.9	3,346	26,595	72	19	31	31	72	55	84	2	49	66
INTEGRA	CX361118 GT	9.37	3,309	22,427	71	21	35	34	71	53	82	3	51	66

Averages and Statistics

Statistic	Dry Yield[1]	Milk lb/ton	Milk lb/acre	TDN	ADF	aNDF	aNDFom	NE_L	NE_G	NE_M	Lignin	NDFD3	NDFD24
Mean	11.45	3,307	37,731	71.0	20.4	32.7	31.9	71.1	53.8	82.3	2.6	47.6	63.6
LSD at 10% Level	1.41	139	5,100	2.0	2.6	4.0	3.9	2.1	2.9	3.4	0.2	2.9	2.5
Model R-Squared	0.93	0.94	0.97	0.93	0.93	0.94	0.93	0.94	0.93	0.93	0.96	0.93	0.93
C.V	9.07	2.51	8.05	1.63	7.51	7.26	7.32	1.73	3.26	2.43	5.45	3.67	2.34

- Milk Production, TDN, NE_G, and NE_M all use the UW Milk 2006 Model Calculated Values

- ADF aNDF, aNDFom, Lignin, NDFD3, and NDFD24 are Quality Components

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry
“NS” indicates differences are statistically non-significant (p = 0.10 probability level)
Sample analysis conducted by Dairyland Laboratories, Arcadia, Wisconsin
Data above assumes kernel processing was conducted prior to ensiling.

Nutrient and Elemental Analysis of Corn Hybrids for Silage
Plains, Georgia, 2026

Company or Brand Name	*Hybrid Name*	*Dry Yield Tons/Acre*	*Milk lb/ton*	*Milk lb/acre*	*Crude Protein*	*Starch*	*Sugar (WSC)*	*Fat (EE)*	*Fat (TFA)*	*Ash*	*P*	*K*	*Ca*	*Mg*	*S*
					Percent Dry Matter										
BH Genetics	X26003R PCE	**14.4**	3,305	**48,041**	8.6	42	6.4	2.7	2.4	3.2	0.2	1	0.2	0.1	0.1
INTEGRA	CX641120 PWE	**13.3**	**3,477**	**47,335**	8.7	46	4.8	3.1	2.8	3.1	0.2	1	0.2	0.1	0.1

Company or Brand Name	Hybrid Name	Dry Yield Tons/Acre	Milk lb/ton	Milk lb/acre	Crude Protein	Starch	Sugar (WSC)	Fat (EE)	Fat (TFA)	Ash	P	K	Ca	Mg	S
					Percent Dry Matter										
Pioneer	P18986PWE	**13.3**	3,319	**45,976**	8.5	41	6.4	2.7	2.5	3.2	0.2	1	0.2	0.1	0.1
BH Genetics	BH 8787PCE	**13**	3,373	**45,922**	8.5	41	7.2	2.8	2.6	3.2	0.2	1	0.2	0.1	0.1
INTEGRA	CX611116 LRE	12.3	**3,535**	**43,414**	8.6	48	6.2	3.2	2.9	2.7	0.2	1	0.2	0.1	0.1
BH Genetics	BH 8610PCE	12.7	3,240	42,620	9.2	39	6.3	2.6	2.4	3.6	0.2	1	0.2	0.1	0.1
Croplan	CP5320 SSPRO	12.5	3,306	42,564	8.2	40	6.6	2.8	2.5	3.2	0.2	1	0.2	0.1	0.1
INTEGRA	6891 3110	**12.8**	3,267	42,311	8.5	36	8.4	2.7	2.5	3.4	0.2	1	0.2	0.1	0.1
BH Genetics	X26006RC PCE	**12.8**	3,337	42,155	8.6	43	6.7	2.8	2.5	3.2	0.2	1	0.2	0.1	0.1
Croplan	CP5911 VT2P	12	3,274	41,890	8.2	43	4.9	2.8	2.5	3.2	0.2	1	0.2	0.1	0.1
INTEGRA	CX611117 PWE	12	3,393	41,829	8.1	43	6.1	2.7	2.5	3	0.2	1	0.2	0.1	0.1
INTEGRA	CX501117 VT2P	12.3	3,273	41,775	8	39	7	2.6	2.4	3.2	0.2	1	0.2	0.1	0.1
BH Genetics	BH 8727TRE	11.9	3,322	41,718	8.3	38	7.8	2.7	2.4	3.2	0.2	1	0.2	0.1	0.1
Dyna-Gro	D54TC77	12	3,188	40,837	7.7	39	5.5	2.5	2.3	3.4	0.2	1	0.2	0.1	0.1
SEEDWAY	SW 2055PE	12.2	**3,505**	40,527	8.5	42	6.5	2.8	2.6	3.1	0.2	1	0.2	0.1	0.1
INTEGRA	6493 VT2P	11.7	3,358	40,159	8.2	45	4.1	3	2.7	2.9	0.2	1	0.2	0.1	0.1
BH Genetics	X26002R PCE	11.7	**3,398**	39,576	8	45	4.8	2.9	2.6	2.9	0.2	1	0.2	0.1	0.1
DEKALB	DKC68-35 VT2P	11.6	3,324	39,224	7.9	45	4.9	2.8	2.6	2.7	0.2	1	0.2	0.1	0.1
INTEGRA	6709 VT2P	11.4	3,366	39,089	8.3	41	8.2	2.8	2.5	3	0.2	1	0.2	0.1	0.1
INTEGRA	6641 SS	11.6	3,374	38,990	8.7	44	5.9	2.8	2.5	3.1	0.2	1	0.2	0.1	0.1
Dyna-Gro	D55VC86	10.9	3,242	38,975	8.8	41	6.6	2.9	2.6	3.4	0.2	1	0.2	0.2	0.1
Innvictis	A1792T	11.6	3,163	38,835	8.3	38	5.8	2.5	2.3	3.5	0.2	1	0.2	0.1	0.1
INTEGRA	6915 VT2P	11.2	**3,408**	38,679	8.1	44	5.6	2.9	2.6	3.1	0.2	1	0.2	0.1	0.1
Revere	113-T73	11.9	3,174	38,420	8	42	4.5	2.7	2.5	3.3	0.2	1	0.2	0.1	0.1
DEKALB	DKC70-45 VT2P	12.2	3,344	38,204	8.2	43	5.5	2.8	2.5	3.1	0.2	1	0.2	0.1	0.1
Croplan	CP5777 SSPRO	12.2	3,139	37,967	8.5	35	8.1	2.4	2.2	3.6	0.2	1	0.2	0.2	0.1
DEKALB	DKC115-55 TRE	11.7	3,250	37,950	7.7	41	6.2	2.5	2.3	3.1	0.2	1	0.2	0.1	0.1
BH Genetics	BH 8344PCE	11.7	**3,418**	37,796	8.1	43	6.8	2.8	2.6	3	0.2	1	0.2	0.1	0.1
Revere	1839 TC	11.5	3,247	37,745	7.9	40	5.9	2.6	2.3	3.1	0.2	1	0.2	0.1	0.1
AgraTech	807TRE	11.8	3,141	37,684	8	36	4.8	2.6	2.4	3.4	0.2	1	0.2	0.1	0.1

Company or Brand Name	Hybrid Name	Dry Yield Tons/Acre	Milk lb/ton	Milk lb/acre	Crude Protein	Starch	Sugar (WSC)	Fat (EE)	Fat (TFA)	Ash	P	K	Ca	Mg	S
					Percent Dry Matter										
Croplan	CP5893 TRE	11.1	3,183	37,537	8.4	39	5.6	2.6	2.4	3.4	0.2	1	0.2	0.1	0.1
Innvictis	A1993T	11.2	3,335	36,795	8.3	44	5.4	2.9	2.6	3.2	0.2	1	0.2	0.1	0.1
ADVANTA	ADV C1167	9.97	**3,454**	36,446	8.2	45	6.4	2.8	2.5	3	0.2	1	0.2	0.1	0.1
INTEGRA	6864R	10.8	3,337	34,807	8.4	44	5.3	2.8	2.6	3.1	0.2	1	0.2	0.1	0.1
SEEDWAY	SW 1880TR	10.8	3,252	34,608	8	43	4.7	2.8	2.5	3.1	0.2	1	0.2	0.1	0.1
SEEDWAY	SW 1676PE	10	3,356	34,473	8.8	39	8.8	2.6	2.4	3.3	0.2	1	0.2	0.1	0.1
DEKALB	DKC119-09 TRE	10.8	3,319	34,166	8.1	38	7.1	2.8	2.5	3.2	0.2	1	0.2	0.1	0.1
Innvictis	A1776VT2P	10.5	3,150	33,930	8	37	7.6	2.5	2.3	3.3	0.2	1	0.2	0.1	0.1
INTEGRA	6410R	9.72	3,381	33,176	8.4	46	4	3.1	2.9	3	0.2	1	0.2	0.1	0.1
ADVANTA	ADV C1173	9.99	3,254	32,723	8.4	37	6.2	2.4	2.1	3.4	0.2	1	0.2	0.1	0.1
Dyna-Gro	D60TC45	10.8	3,146	32,490	8.1	37	5.6	2.5	2.3	3.4	0.2	1	0.2	0.1	0.1
BH Genetics	BH 8420VIP3220	11	3,058	31,932	8.9	31	9.5	2.4	2.2	3.8	0.2	1	0.3	0.1	0.1
BH Genetics	BH 8704VIP3220	10	3,350	31,835	8.6	45	6.9	2.7	2.5	3.1	0.2	1	0.2	0.1	0.1
ADVANTA	ADV C1142	10.4	3,334	31,751	8.7	46	6.4	2.8	2.5	3.4	0.2	1	0.2	0.1	0.1
Croplan	CP5900S VT2P	9.23	3,336	29,217	8.7	41	7.1	2.9	2.6	3.1	0.2	1	0.2	0.1	0.1
Gateway Seed	3919TRE	11.2	3,364	27,961	8.3	41	5.8	2.8	2.5	3.3	0.2	1	0.2	0.1	0.1
ADVANTA	ADV XC26121	8.9	3,346	26,595	7.9	45	5.6	2.8	2.6	3.2	0.2	1	0.2	0.1	0.1
INTEGRA	CX361118 GT	9.37	3,309	22,427	8.3	38	6.8	2.6	2.4	3.3	0.2	1	0.2	0.1	0.1

Averages and Statistics

Statistic	Dry Yield[1]	Milk lb/ton	Milk lb/acre	Crude Protein	Starch[2]	Sugar (WSC)[2]	Fat (EE)[2]	Fat (TFA)[2]	Ash[2]	P[2]	K[2]	Ca[2]	Mg[2]	S[2]
Mean	11.45	3,307	37,731	8.3	41.2	6.2	2.7	2.5	3.2	0.2	1.0	0.2	0.1	0.1
LSD at 10% Level	1.41	139	5,100	0.5	4.8	1.7	NS	0.3	0.3	0.0	0.1	0.0	0.0	NS
Model R-Squared	0.93	0.94	0.97	0.89	0.93	0.94	0.93	0.93	0.67	0.47	0.95	0.94	0.92	0.83
C.V.	9.07	2.51	8.05	3.36	6.99	15.9	6.37	6.3	6.24	3.74	4.23	5.98	10.61	6.32

Table Notes:

[1] Measured in Tons per Acre

[2] Measured in percent Dry Matter (%DM)

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry
"NS" indicates differences are statistically non-significant (p = 0.10 probability level)
Silage analysis conducted by Dairyland Laboratories in Arcadia, Wisconsin
"Milk Production" reprinted from Quality Factors table, based on UW Milk 2006 predicted milk model

Plains, Georgia:

Evaluation of Late Planted Corn Silage Hybrids, 2026, Irrigated

Company/ Brand Name	*Hybrid Name*	*Relative Maturity Days*	*Dry Forage Yield [1]*	*Green Forage Yield [1]*	*Moisture [2]*

Company/ Brand Name	*Hybrid Name*	*Relative Maturity Days*	*Dry Forage Yield [1]*	*Green Forage Yield [1]*	*Moisture [2]*

Averages and Statistics

Statistic	*Dry Forage Yield [1]*	*Green Forage Yield [1]*	*Moisture [2]*
Mean			
LSD at 10%			
Model R-Square			
C.V.			

[1] Measured in tons/acre and Green Forage Yields are standardized to 65% moisture

[2] Measured by percentage

Bolded Yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry

Planted:
Harvested:
Accumulated GDD units where temperature was between 50˚ F and 86˚ F
Seeding Rate:
Soil Type:
Previous Crop:
Soil Test:
Fertilization:
Tillage:
Herbicides:
Fungicides: -
Irrigation:
Insecticides: -

Test conducted by M. Cofield, W. Mosteller, J. Cook, and D. Dunn

Sorghum Test Results

Contents

Statewide Summary:
Sorghum Grain Performance, Georgia, 2026, Dryland

Company or Brand Name	Hybrid	2026 Early Plantings					2025 Early plantings		
		Griffi	Rom	Tifto	Plain	Averag	Griffin	Rome	Averag

Averages and Statistics

Statistic	2026 Early Plantings					2025 Early plantings		
	Griffi	Rom	Tifto	Plain	Averag	Griffin	Rome	Averag
Average								
LSD at 10% Level								
Model R-Squared								
C.V.								

Bolded yields are statistically non-significant from (p = 0.10 level) from the highest yielding test entry.
Yields are calculated as 56 pounds per bushel at 14% moisture.
“NS” indicates differences are statistically non-significant (p = 0.10 probability level)

Griffin, Georgia:

Early Planted Sorghum Grain Performance, 2026, Dryland

Company or Brand Name	Hybrid	Harvest Year[1]		Test Weight (lb/bu)	50% Bloom Days[2]	Plant Height (in)	Head Exertion (in)	Lodging %	Bird Damage[3]
		2026	2025						

Averages and Statistics

Statistic	Harvest Year		Test Weight	50% Bloom Days[1]	Plant Height	Head Exertion	Lodging	Bird Damage[2]
	2025	2024						
Average								
LSD at 10% Level								
Model R-Squared								
C.V.								

[1] Values shown are in Bushels per Acre

[2] Days from planting to 50% bloom

[3] Percent of grain head damaged

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry.

“NS” indicates differences are statistically non-significant (p = 0.10 probability level)

Planted:

Harvested:

Seeding Rate:

Soil Type:

Previous Crop:

Soil Test:

Fertilization:

Tillage:

Herbicides:

Test conducted by J. Arrington, G. Ware, S. Brannon, and S. Edwards

Rome, Georgia:

Early Planted Sorghum Grain Performance, 2026, Dryland

Company or Brand Name	Hybrid	Harvest Year[1]		Test Weight	50% Bloom	Plant Height	Head Exertion	Lodging %	Bird Damage[3]
		2026	2025						

Averages and Statistics

Statistic	Harvest Year		Test Weigh	50% Bloom	Plant Height	Head Exertio	Lodging	Bird Damage[3]
	2026	2025						
Average								
LSD at 10% Level								
Model R-Squared								
C.V.								

[1] Values shown are in bushels per acre

[2] Days from planting to 50% bloom

[3] Percent of grain head damaged

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry.

“NS” indicates differences are statistically non-significant (p = 0.10 probability level)

Planted:
Harvested:
Seeding Rate:
Soil Type:
Previous Crop:
Soil Test:
Fertilization:
Tillage:
Herbicides:
Test conducted by J. Arrington, B. Byous, M. Tucker, and T. Turnquist

Tifton, Georgia:

Early Planted Sorghum Grain Performance, 2026, Dryland

Company or Brand Name	Hybrid	Harvest Year[1]		Test Weight (lb/bu)	50% Bloom Days[2]	Plant Height (in)	Head Exertion (in)	Lodging %	Bird Damage[3]
		2026	2025						
Croplan	CP6911A	**84.4**	-	30.8	-	52	-	0.3	71
Dyna-Gro Seed	M59GB94	**82.9**	-	33.3	-	54	-	0.9	71
Advanta	ADV G1195	**78.5**	-	18.8	-	48	-	1.2	69
Alta Seeds	ADV 1125IG	**78.0**	-	17.8	-	47	-	1.4	65
Dyna-Gro Seed	M62GB36	**76.4**	113.6	20.9	-	52	-	0.0	64
Alta Seeds	ADV G3127	**72.8**	-	30.2	-	50	-	0.6	61
Pioneer	83P38	71.0	**143.4**	30.4	-	52	-	2.2	59
Dyna-Gro Seed	M70GR37	69.1	132.7	41.9	-	54	-	0.5	50
Dyna-Gro Seed	M66GR32	67.5	**139.0**	46.6	-	51	-	0.4	38
Dyna-Gro Seed	M72GB71	62.6	133.3	43.8	-	54	-	0.0	50
Alta Seeds	ADV G2175	61.0	-	31.5	-	55	-	0.3	55

Averages and Statistics

Statistic	Harvest Year		Test Weigh	50% Bloom	Plant Height	Head Exertio	Lodging	Bird Damage
	2026	2025						
Average	73.1	132.6	31.4	-	52	-	0.7	59
LSD at 10% Level	13.3	7.8	NS	-	3	-	NS	12
Model R-Squared	0.67	0.90	0.31	-	0.69	-	0.72	0.76
C.V.	14.01	4.64	15.18	-	5.23	-	154.32	16.73

[1] Values shown are in bushels per acre

[2] Days from planting to 50% bloom

[3] Percent of grain head damaged

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry.

Planted: April 20, 2026
Harvested: August 10, 2026
Seeding Rate: 80,000 seeds per acre in 36-inch rows
Soil Type: Tifton Loamy Sand
Previous Crop: Fallow
Soil Test: 76.7 P, 164 K, 5.93 pH
Fertilization:
Preplant: 50 lb N, 10 lb S, 60 lb P, 100 lb/acre K
Sidedress: 130 lb N, 23 lb/acre S
Tillage: Conventional
Herbicides: Magnum, Atrazine
Test conducted by M. Cofield, W. Mosteller, J. Cook, and D. Dunn

Tifton, Georgia:
Late Planted Sorghum Grain Performance, 2026, Dryland

Company or Brand Name	*Hybrid*	*Yield bushels/acre*	*Test Weight (lb/bu)*	*50% Bloom Days[1]*	*Plant Height (in)*	*Head Exertion (in)*	*Lodging %*	*Bird Damage*

Averages and Statistics

Statistic	*Yield bu/acre*	*Test Weight*	*50% Bloom Days*	*Plant Height*	*Head Exertion*	*Lodging*	*Bird Damage*

[1] Days from planting to 50% bloom

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry.

Planted:
Harvested:
Seeding Rate: 80,000 seeds per acre in 36-inch rows
Soil Type:
Previous Crop:
Soil Test:
Fertilization:
Tillage:
Herbicides:
Test conducted by M. Cofield, W. Mosteller, J. Cook, and D. Dunn

Plains, Georgia:
Early Planted Sorghum Grain Performance, 2026, Dryland

Company or Brand Name	Hybrid	Harvest Year[1]		Test Weight (lb/bu)	Plant Height (in)	Head Exertion (in)
		2026	2025			
Dyna-Gro Seed	M62GB36	**108.2**	**151.4**	51.6	58	10
Dyna-Gro Seed	M66GR32	**104.4**	**156.4**	51.9	61	9
Dyna-Gro Seed	M70GR37	**104.3**	**157.1**	53.6	58	9
Dyna-Gro Seed	M59GB94	**100.7**	-	49.0	56	8
Dyna-Gro Seed	M72GB71	**96.4**	137.9	51.3	58	11
Pioneer	83P38	**96.1**	**154.4**	48.9	58	9
Alta Seeds	ADV G3127	91.7	-	51.2	55	8
Croplan	CP6911A	91.4	-	50.4	59	10
Alta Seeds	ADV G2175	89.1	-	50.2	59	10
Alta Seeds	ADV 1125IG	83.4	-	47.6	51	8
Advanta	ADV G1195	79.3	-	49.3	51	8

Averages and Statistics

Statistic	Harvest Year		Test Weight	Plant Height	Head Exertion
	2026	2025			
Average	95.3	152.2	50.5	57	9
LSD at 10% Level	13.0	7.8	1.8	1	1
Model R-Squared	0.88	0.60	0.74	0.94	0.95
C.V.	11.66	4.25	2.98	2.18	4.79

[1] Values shown are in bushels per acre

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry.

“NS” indicates differences are statistically non-significant (p = 0.10 probability level)

Planted: April 23, 2026
Harvested: August 13, 2026
Seeding Rate: 80,000 seeds per acre in 36-inch rows
Soil Type: Greenville Sandy Clay Loam
Previous Crop: Fallow
Soil Test: 45 P, 259 K, 6.4 pH
Fertilization:
Preplant: 12 lb N, 50 lb P, 60 lb/acre K
Sidedress: 60 lb N, 9 lb/acre S
Tillage: Conventional
Herbicides: Magnum, Atrazine
Test conducted by M. Cofield, W. Mosteller, J. Cook, and D. Dunn

Statewide Yield Summary[1]:
Sorghum Silage Performance, Georgia, 2023-2026

Company or Brand Name	Hybrid	Days to Boot	Griffin Yield				Tifton Yield			
			2026	2025	2024	2023	2026	2025	2024	2023
Advanta	55033	-		-	-	-	6.52	-	-	-
Advanta	ADV F7450IG	-		-	-	-	5.25	-	-	-
Advanta	VO5200	-		-	-	-	5.85	-	-	-
ALTA SEEDS	ADV F8322	-		6.7	-	-	6.73	7.53	-	-
ALTA SEEDS	ADV F8484IG	-		5.4	-	-	5.91	**7.98**	-	-
Croplan	CP3541 BMR AT	-		-	-	-	5.94	-	-	-
Croplan	CP3681 AT	-		-	-	-	7.32	-	-	-
Dyna-Gro Seed	Danny Boy II BMR	-		5.5	**9.99**	7.22	7.43	6.76	5.44	**9.66**
Dyna-Gro Seed	Extend-Graze	-		-	-	-	**9.02**	-	-	-
Dyna-Gro Seed	F74FS72 BMR	-		4.5	4.99	5.93	5.16	6.16	4.23	5.24
Dyna-Gro Seed	Fullgraze II BMR	-		**8.8**	-	-	**8.58**	**8.61**	-	-
Dyna-Gro Seed	Super Sile 20	-		4.7	6.62	6.51	5.93	6.21	**6.00**	8.22
Dyna-Gro Seed	Super Sile 30	-		4.4	5.58	6.10	6.17	**7.09**	5.20	8.47
Forager	SSH	-		-	-	-	6.25	-	-	-
Forager	SSH BMR	-		-	-	-	4.09	-	-	-
Forager	Summer Mix with	-		-	-	-	5.57	-	-	-
Pioneer	859F	-		6.9	5.61	-	5.32	7.37	4.47	-

[1] Yields measured in Dry Tons per Acre

Averages and Statistics

Statistic	Days to Boot Stage	Griffin Yield				Tifton Yield			
		2026	2025	2024	2023	2026	2025	2024	2023
Average	-		6.4	5.76	5.92	6.3	7.28	3.83	7.30
LSD at 10% Level	-		1.5	1.34	0.77	0.76	0.91	0.63	0.60
Model R-Squared	-		0.77	0.93	0.86	0.89	0.74	0.90	0.98
C.V.	-		16.86	20.56	12.2	8.68	8.94	15.5	7.58

Tifton, Georgia:
Sorghum Silage Performance, 2026, Dryland

Company or Brand Name	Hybrid	Harvested Yield[1]			Growth Stage	Plant Height (in)	Lodging %
		Dry	Green[2]	Moisture			
Dyna-Gro Seed	Extend-Graze	**9.02**	**25.79**	74.2	Photoperiodic	147	12
Dyna-Gro Seed	Fullgraze II BMR	**8.58**	**24.52**	65.5	Hard Dough	136	12
Dyna-Gro Seed	Danny Boy II BMR	7.43	21.22	72.3	Photoperiodic	136	12
Croplan	CP3681 AT	7.32	20.91	60.1	Hard Dough	75	0
ALTA SEEDS	ADV F8322	6.73	19.23	61.8	Hard Dough	68	0
Advanta	55033	6.52	18.63	59.4	Hard Dough	67	0
Forager	SSH	6.25	17.87	65.2	Hard Dough	102	5
Dyna-Gro Seed	Super Sile 30	6.17	17.64	67.5	Hard Dough	93	1
Croplan	CP3541 BMR AT	5.94	16.97	61.5	Hard Dough	68	0
Dyna-Gro Seed	Super Sile 20	5.93	16.94	66.7	Hard Dough	108	2
ALTA SEEDS	ADV F8484IG	5.91	16.89	61.6	Hard Dough	66	0
Advanta	VO5200	5.85	16.71	64.0	Hard Dough	78	8
Forager	Summer Mix with	5.57	15.9	62.4	Hard Dough	98	15
Pioneer	859F	5.32	15.2	65.3	Hard Dough	100	7
Advanta	ADV F7450IG	5.25	14.99	64.9	Hard Dough	64	0
Dyna-Gro Seed	F74FS72 BMR	5.16	14.75	63.9	Hard Dough	62	0
Forager	SSH BMR	4.09	11.69	62.3	Hard Dough	91	0

Averages and Statistics

Statistic	Harvested Yield[1]			Plant Height (in)	Lodging %
	Dry	Green[2]	Moisture		
Average	6.3	17.99	64.6	92	4
LSD at 10% Level	0.76	2.16	0.6	7	7
Model R-Squared	0.89	0.89	1	0.99	0.62
C.V.	8.68	8.68	0.65	5.64	125.07

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry.

Planted: April 16, 2026
Harvested: August 18, 2026
Seeding Rate: 80,000 seeds per acre in 36-inch rows
Soil Type: Tifton Loamy Sand
Previous Crop: Peanut
Soil Test: 39.2 P, 78.2 K, 6.86 pH
Fertilization:

Preplant: 50 lb N, 10 lb S, 60 lb P, 150 lb/acre K
Sidedress: 130 lb N, 23 lb/acre S

Tillage: Conventional
Herbicides: Atrazine, Magnum
Test conducted by M. Cofield, W. Mosteller, J. Cook, and D. Dunn

Griffin, Georgia:
Sorghum Silage Performance, 2026, Dryland

Company or Brand Name	Hybrid	Harvested Yield[1]			Days to Boot Stage[3]	Plant Height (in)	Lodging %
		Dry	Green[2]	Moisture			

Averages and Statistics

Statistic	Harvested Yield[1]			Days to Boot Stage	Plant Height (in)	Lodging %
	Dry	Green[2]	Moisture			
Average						
LSD at 10% Level						
Model R-Squared						
C.V.						

[1] Values shown are in bushels per acre
[2] Days from planting to 50% bloom
[3] Varieties missing either never went to boot stage or were badly lodged and had to be harvested before boot stage

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry.
"NS" indicates differences are statistically non-significant (p = 0.10 probability level)
Planted:
Harvested:
Seeding Rate: 80,000 seeds per acre in 30-inch rows
Soil Type:
Previous Crop:
Soil Test:
Fertilization:
Tillage:
Herbicides:

Test conducted by J. Arrington, G. Ware, S. Brannon, and S. Edwards

Tifton, Georgia: Summer Annual Forage Performance, 2026, Dryland

Wide-Stem Forages, Sorghum, Dry-Tons/Acre

Company or Brand Name	Hybrid or Variety Name	Harvest Date		Season Total
		June 25, 2026	August 18, 2026	
Dyna-Gro Seed	Extend-Graze	**3.10**	**4.68**	**7.78**
Advanta	ADV S6525	2.31	**5.24**	**7.55**
Dyna-Gro Seed	Fullgraze II BMR	2.69	**4.57**	**7.26**
Forager	SSH	2.11	**4.97**	**7.08**
ALTA SEEDS	ADV S6404	2.22	4.33	6.54
Forager	SSH BMR	2.42	3.84	6.26
Advanta	58007	2.17	3.97	6.14
Dyna-Gro Seed	Danny Boy II BMR	2.64	2.94	5.58
Dyna-Gro Seed	Dynagraze III BMR	2.36	3.04	5.40
Advanta	ADV S6218	2.24	3.09	5.32

Averages and Statistics

Statistic	Harvest Date		Season Total
	June 25, 2026	August 18, 2026	
Average	2.43	4.07	6.49
LSD at 10% Level	0.40	0.70	0.98
Model R-Squared	0.65	0.82	0.74
C.V.	11.68	12.23	10.61

Narrow-Stem Forages, Millet, Dry-Tons/Acre

Company or Brand Name	Hybrid or Variety Name	Harvest Date		Season Total
		June 25, 2026	August 18, 2026	
Forager	Pearl Millet Max	**3.55**	2.82	**6.37**
Coffey Forage	Tifleaf-3	**3.48**	2.26	**5.74**
Forager	Summer Mix with Broadleaves	2.23	2.69	4.92

Averages and Statistics

Statistic	Harvest Date		Season Total
	June 25, 2026	August 18, 2026	
Average	3.09	3.59	5.68
LSD at 10% Level	0.57	NS	0.82
Model R-Squared	0.90	0.79	0.86
C.V.	10.58	11.86	8.32

Bolded yields are statistically non-significant (p = 0.10 level) from the highest yielding test entry.
“NS” indicates differences are statistically non-significant (p = 0.10 probability level)

Planted: April 16, 2026
Harvested:
-GDD units were measured when temperature was between 50˚ F and 100˚ F

- Sorghum:
  - June 25, 2026, accumulated 1,683 GDD units
  - August 18, 2025, accumulated 3,385 GDD units
- Millet:
  - June 25, 2026, accumulated 1,683 GDD units
  - August 18, 2026, accumulated 3,385 GDD units

Seeding Rate:

- Sorghum: 100,000 seed/acre in 36-inch rows
- Millet: 500,000 seed/acre in 36-inch rows

Soil Type: Tifton Loamy Sand
Previous Crop: Peanuts
Soil Test: 39.2 P, 78.2 K, 6.86 pH
Fertilization:
Preplant: 50 lb N, 10 lb S, 60 lb P, 150 lb/acre K
Sidedress: 130 lb N, 23 lb/acre S
Tillage: Conventional
Herbicides:

- Sorghum: Magnum, Atrazine
- Millet: Atrazine

Test conducted by M. Cofield, D. Dunn, and W. Mosteller

Cooperators

A. Black, Southeast Research & Education Center, Midville, Georgia
A. Carter, Tifton Campus, Tifton, Georgia
P. Knox, Crop and Soil Sciences Department, Athens, Georgia
S. Rogers, Southwest Research & Education Center, Plains, Georgia
R. Covington, Mountain Research & Education Center, Blairsville, Georgia
J. Gassett, Field Research Services, UGA-Griffin, Griffin, Georgia
K. Hammond, Northwest Research & Education Center, Calhoun, Georgia

Contributors

The following individuals contributed to the gathering of data and preparation of this report:

Griffin – S. Brannon, S. Edwards, Y. Barton, B. Byous, K. Cassell,
J. Arrington, G. Ware, and B. Wood
Plains – T. Bailey, H. Barry, A Burgess, M. Cofield, W. Mosteller,
A Skipper, P. Tapp, and M. Tomberlin
Blairsville – C. Graham, L. Lee, D Patterson, and D. Rogers
Midville – J. Lanier, R. Milton, and T. Woodward
Rome – M. Tucker and T. Turnquist
Plains – W. Jones and D. Pearce

Authors

Dr. Daniel J. Mailhot is the director of the Statewide Variety Testing program and based at the Griffin Campus

Dustin Dunn and Jamie Arrington are Research Professionals managing field trials from the Tifton and Griffin campuses, respectively

Andrew Sutton is the Data Analyst for the Statewide Variety Testing program and based at the Griffin Campus

Dr. David G. Buntin, Entomology Department, conducts insect tolerance screenings and is based at Griffin Campus

Dr. Xinzhi Ni, USDA-ARS Crop Genetics & Breeding Research Unit, conducts insect tolerance screenings at the Tifton Campus

Dr. Michael D. Toews, Entomology Department, conducts insect tolerance screenings and is Assistant Dean and Campus Director


Georgia Mountain Research & Education Center, Blairsville
Northwest Research & Education Center, Calhoun
UGA Athens campus
J. Phil Campbell Sr. Research & Education Center, Watkinsville
Central Research & Education Center, Eatonton
UGA Griffin campus
Southeast Research & Education Center, Midville
Southwest Research & Education Center, Plains
Vidalia Onion & Vegetable Research Center, Reidsville
UGA Tifton campus
Blueberry Research & Demonstration Farm, Alma
C.M. Stripling Irrigation Research Park, Camilla
Attapulgus Research & Education Center, Attapulgus
CAES campus
Research Center

University of Georgia
Agricultural Experiment Stations
Athens, Georgia 30602
Harshavardhan Thippareddi, Associate Dean for Research

Publication
Penalty for Private Use $300

ADDRESS CORRECTION REQUESTED